

Construction Electricity Wiring System



GAMMA ELEMEC
BY GAMMA USA TECHNOLOGIES

Electrical Conduit

2007 Opal Tower, Burj Khalifa St.,
Business Bay, P.O. Box 233774
Dubai, United Arab Emirates


General Inquires
info@gammaelemec.com

New Business
sales@gammaelemec.com

Everything we do is for the
perfection of electric wiring

www.gammaelemec.com

A member of GAMMA Group of Companies



Steel Conduit & Fittings

- EMT Conduit,IMC Conduit,Rigid Steel Conduit
- EMT Connectors and Couplings
- IMC Conduit,Rigid Steel Conduit Fittings
- Other Fittings for EMT,Rigid Conduit
- Conduit Body,Weatherproof Box
- Steel Boxes and Covers
- Earthing Rods and Meter Socket

Flexible Conduit & Fittings

- Flexible Steel Conduit
- PVC Coated Flexible Conduit
- Liquid Tight Conduit
- Corrugated Flexible Conduit
- Liquid Tight & Squeeze Connector
- Other Connectors

Strut Channel & Fittings

- Unistrut Channel
- Thread Rods and Hardware
- Strut Clamp,Conduit Hanger
- Clevis Hanger and Loop Hanger
- Beam Clamp and Other Fittings

Electrical Conduit Tools

- Conduit Bender
- Fish Wire Tape,Cable Puller
- PVC Bending Spring
- Cable Glands
- Terminal Blocks
- Cable Ties,Insulator

EMT Conduit Pipe Accord to ANSI C80.3, UL797

Dimensions for Standard

Finish: Hot dip galvanized(UL Listed)



Cat.No.	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Length
	U.S.	Metric	in.	mm	in.	mm	
EMT-050H	1/2"	16	0.706	17.93	0.042	1.07	3050
EMT-075H	3/4"	21	0.922	23.42	0.049	1.24	3050
EMT-100H	1"	27	1.163	29.54	0.057	1.45	3050
EMT-125H	1 1/4"	35	1.510	38.35	0.065	1.65	3050
EMT-150H	1 1/2"	41	1.740	44.20	0.065	1.65	3050
EMT-200H	2"	53	2.197	55.80	0.065	1.65	3050
EMT-250H	2 1/2"	63	2.875	73.03	0.072	1.83	3050
EMT-300H	3"	78	3.500	88.90	0.072	1.83	3050
EMT-350H	3 1/2"	91	4.000	101.60	0.083	2.11	3050
EMT-400H	4"	103	4.500	114.30	0.083	2.11	3050

Finish: Pre-galvanized




Trade Size Designator		Nominal Outside Dia.		Standard Thickness	Thinwall Thickness	Length	
U.S.	Metric	in.	mm	mm	mm	mm	mm
1/2"	16	0.706	17.93	1.07	0.80	2900	3000
3/4"	21	0.922	23.42	1.24	0.90	2900	3000
1"	27	1.163	29.54	1.45	1.00	2900	3000
1 1/4"	35	1.510	38.35	1.65	1.30	2900	3000
1 1/2"	41	1.740	44.20	1.65	1.30	2900	3000
2"	53	2.197	55.80	1.65	1.30	2900	3000
2 1/2"	63	2.875	73.03	1.83	1.70	3000	3000
3"	78	3.500	88.90	1.83	1.70	3000	3000
4"	103	4.500	114.30	2.11	1.90	3000	3000

Note: All information available at the time of order
If you need other thickness or length pls contact us.

EMT Elbows

Finish: Pre-galvanized

Hot dip galvanized(UL Listed)



Cat.No.	Cat.No.	Size
8300	8310	1/2"
8301	8311	3/4"
8302	8312	1"
8303	8313	1 1/4"
8304	8314	1 1/2"
8305	8315	2"
8306	8316	2 1/2"
8307	8317	3"
8308	8318	3 1/2"
8309	8319	4"



IMC Conduit Pipe Accord to ANSI C80.6, UL1242

Dimensions for Standard

Finish: Hot dip galvanized(UL Listed)

Cat.No.	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Length
	U.S.	Metric	in.	mm	in.	mm	
IMC-050H	1/2"	16	0.815	20.70	0.078	1.98	3000
IMC-075H	3/4"	21	1.029	26.10	0.083	2.10	3000
IMC-100H	1"	27	1.290	32.77	0.093	2.35	3000
IMC-125H	1 1/4"	35	1.638	41.59	0.095	2.42	3000
IMC-150H	1 1/2"	41	1.883	47.82	0.100	2.54	3000
IMC-200H	2"	53	2.360	59.93	0.105	2.67	3000
IMC-250H	2 1/2"	63	2.857	72.57	0.150	3.81	3000
IMC-300H	3"	78	3.476	88.29	0.150	3.81	3000
IMC-350H	3 1/2"	91	3.971	100.86	0.150	3.81	3000
IMC-400H	4"	103	4.466	113.44	0.150	3.81	3000



Finish: Pre-galvanized

Trade Size Designator		Nominal Outside Dia.		Standard Thickness	Thinwall Thickness	Two Length	
U.S.	Metric	in.	mm	mm	mm	mm	mm
1/2"	16	0.815	20.70	1.79	1.60	3000	3050
3/4"	21	1.029	26.10	1.90	1.60	3000	3050
1"	27	1.290	32.77	2.15	1.80	3000	3050
1 1/4"	35	1.638	41.59	2.16	1.80	3000	3050
1 1/2"	41	1.883	47.82	2.29	2.00	3000	3050
2"	53	2.360	59.93	2.41	2.00	3000	3050




Note: All information available at the time of order
If you need other thickness or length pls contact us.

IMC Elbows

Finish: Pre-galvanized
Hot dip galvanized


Cat.No.	Size
8320	1/2"
8321	3/4"
8322	1"
8323	1 1/4"
8324	1 1/2"
8325	2"
8326	2 1/2"
8327	3"
8328	3 1/2"
8329	4"



IMC Couplings

Finish: Electro-galvanized
Hot dip galvanized

Cat.No.	Size
IC-050	1/2"
IC-075	3/4"
IC-100	1"
IC-125	1 1/4"
IC-150	1 1/2"
IC-200	2"
IC-250	2 1/2"
IC-300	3"
IC-350	3 1/2"
IC-400	4"



Rigid Steel Conduit Accord to ANSI C80.1, UL6

Dimensions for Standard

Finish: Hot dip galvanized(UL Listed)


Cat.No.	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Length
	U.S.	Metric	in.	mm	in.	mm	
RGD-050	1/2"	16	0.840	21.34	0.104	2.64	3000
RGD-075	3/4"	21	1.050	26.67	0.107	2.72	3000
RGD-100	1"	27	1.315	33.40	0.126	3.20	3000
RGD-125	1 1/4"	35	1.660	42.16	0.133	3.38	3000
RGD-150	1 1/2"	41	1.900	48.26	0.138	3.51	3000
RGD-200	2"	53	2.375	60.33	0.146	3.71	3000
RGD-250	2 1/2"	63	2.875	73.03	0.193	4.90	3000
RGD-300	3"	78	3.500	88.90	0.205	5.21	3000
RGD-350	3 1/2"	91	4.000	101.60	0.215	5.46	3000
RGD-400	4"	103	4.500	114.30	0.225	5.72	3000
RGD-500	5"	129	5.563	141.30	0.245	6.22	3000
RGD-600	6"	155	6.625	168.30	0.266	6.76	3000



Rigid Conduit Elbows

Finish: Hot dip galvanized


Cat.No.	Cat.No.	Size
8344	8356	1/2"
8345	8357	3/4"
8346	8358	1"
8347	8359	1 1/4"
8348	8360	1 1/2"
8349	8361	2"
8350	8362	2 1/2"
8351	8363	3"
8352	8364	3 1/2"
8353	8365	4"
8354	8366	5"
8355	8367	6"



Rigid Conduit Couplings

Finish: Electro-galvanized
Hot dip galvanized

Cat.No.	Size
0324	1/2"
0325	3/4"
0326	1"
0327	1 1/4"
0328	1 1/2"
0329	2"
0330	2 1/2"
0331	3"
0332	3 1/2"
0333	4"
0334	5"
0335	6"






GAMMA ELEMEC
by GAMMA USA Technologies



EMT Conduit Fittings

EMT Set Screw Connectors-Zinc


- Use to Terminate EMT Pipe to Box



Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
SSCN-050	SSCN-050I	1/2"
SSCN-075	SSCN-075I	3/4"
SSCN-100	SSCN-100I	1"
SSCN-125	SSCN-125I	1 1/4"
SSCN-150	SSCN-150I	1 1/2"
SSCN-200	SSCN-200I	2"
SSCN-250	SSCN-250I	2 1/2"
SSCN-300	SSCN-300I	3"
SSCN-400	SSCN-400I	4"

EMT Set Screw Couplings-Zinc


- Use to Couple two ends of EMT Pipe



Cat.No.	Conduit Size
SSCP-050	1/2"
SSCP-075	3/4"
SSCP-100	1"
SSCP-125	1 1/4"
SSCP-150	1 1/2"
SSCP-200	2"
SSCP-250	2 1/2"
SSCP-300	3"
SSCP-400	4"

EMT Compression Connectors-Zinc

- Use to Terminate EMT Pipe to Box



Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
CCN-050	CCN-050I	1/2"
CCN-075	CCN-075I	3/4"
CCN-100	CCN-100I	1"
CCN-125	CCN-125I	1 1/4"
CCN-150	CCN-150I	1 1/2"
CCN-200	CCN-200I	2"

EMT Compression Couplings-Zinc


- Use to Couple two ends of EMT Pipe



Cat.No.	Conduit Size
CCP-050	1/2"
CCP-075	3/4"
CCP-100	1"
CCP-125	1 1/4"
CCP-150	1 1/2"
CCP-200	2"

EMT Set Screw Connectors-Aluminum


- Use to Terminate EMT Pipe to Box



Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
SSCN-050A	SSCN-050AI	1/2"
SSCN-075A	SSCN-075AI	3/4"
SSCN-100A	SSCN-100AI	1"
SSCN-125A	SSCN-125AI	1 1/4"
SSCN-150A	SSCN-150AI	1 1/2"
SSCN-200A	SSCN-200AI	2"

EMT Set Screw Couplings-Aluminum

- Use to Couple two ends of EMT Pipe




Cat.No.	Conduit Size
SSCP-050A	1/2"
SSCP-075A	3/4"
SSCP-100A	1"
SSCP-125A	1 1/4"
SSCP-150A	1 1/2"
SSCP-200A	2"

EMT Conduit Fittings

EMT Set Screw Connectors-Steel


- Use to Terminate EMT Pipe to Box



Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
H-50S	H-50SI	1/2"
H-75S	H-75SI	3/4"
H-100S	H-100SI	1"
H-125S	H-125SI	1 1/4"
H-150S	H-150SI	1 1/2"
H-200S	H-200SI	2"
H-250S	H-250SI	2 1/2"
H-300S	H-300SI	3"
H-350S	H-350SI	3 1/2"
H-400S	H-400SI	4"

EMT Set Screw Couplings-Steel


- Use to Couple two ends of EMT Pipe



Cat.No.	Conduit Size
Z-50S	1/2"
Z-75S	3/4"
Z-100S	1"
Z-125S	1 1/4"
Z-150S	1 1/2"
Z-200S	2"
Z-250S	2 1/2"
Z-300S	3"
Z-350S	3 1/2"
Z-400S	4"

EMT Compression Connectors-Steel


- Use to Terminate EMT Pipe to Box



Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
ZC-50S	ZC-50SI	1/2"
ZC-75S	ZC-75SI	3/4"
ZC-100S	ZC-100SI	1"
ZC-125S	ZC-125SI	1 1/4"
ZC-150S	ZC-150SI	1 1/2"
ZC-200S	ZC-200SI	2"
ZC-250S	ZC-250SI	2 1/2"
ZC-300S	ZC-300SI	3"
ZC-350S	ZC-350SI	3 1/2"
ZC-400S	ZC-400SI	4"

EMT Compression Couplings-Steel

- Use to Couple two ends of EMT Pipe



Cat.No.	Conduit Size
ZCC-50S	1/2"
ZCC-75S	3/4"
ZCC-100S	1"
ZCC-125S	1 1/4"
ZCC-150S	1 1/2"
ZCC-200S	2"
ZCC-250S	2 1/2"
ZCC-300S	3"
ZCC-350S	3 1/2"
ZCC-400S	4"

EMT Capped Corner Couplings-Zinc


- EMT Pipe to EMT Pipe



Cat.No.	Conduit Size
CCC-050	1/2"
CCC-075	3/4"
CCC-100	1"

EMT Combination Couplings-Zinc

- EMT Pipe to Flex



Cat.No.	Conduit Size
ESC-050	1/2"
ESC-075	3/4"
ESC-100	1"

EMT Pull Corner Elbows-Zinc


- EMT Pipe to EMT Pipe



Cat.No.	Conduit Size
ETE-050	1/2"
ETE-075	3/4"
ETE-100	1"

Pull Corner Elbows-Zinc

- Rigid Conduit to Rigid Conduit



Cat.No.	Conduit Size
RTR-050	1/2"
RTR-075	3/4"
RTR-100	1"

Pull Corner Elbows-Zinc

- Set Screw and Threaded Combination Type



Cat.No.	Conduit Size
to EMT/Rigid Conduit	
ETE-050*	1/2"
ETE-075*	3/4"
ETE-100*	1"
to Box	
ETB-050*	1/2"
ETB-075*	3/4"
ETB-100*	1"

EMT Connector Set Screw Type 90°-Zinc

- EMT Pipe to Box when 90 degree turns



Cat.No.	Conduit Size
ECSS-075	3/4"
ECSS-100	1"
ECSS-125	1 1/4"

EMT Conduit Fittings

Pull Corner Elbows-Zinc

- EMT Pipe to Box



Cat.No.	Conduit Size
ETB-050	1/2"
ETB-075	3/4"
ETB-100	1"

Pull Corner Elbows-Zinc


- Rigid Conduit to Box



Cat.No.	Conduit Size
RTB-050	1/2"
RTB-075	3/4"
RTB-100	1"

Offset Nipples-Zinc


- Box to Box



Cat.No.	Conduit Size
OFN-050	1/2"
OFN-075	3/4"
OFN-100	1"
OFN-125	1 1/4"
OFN-150	1 1/2"
OFN-200	2"

EMT Offset Connectors-Zinc

- EMT Pipe to Box




Cat.No.	Conduit Size
MHZ-50	1/2"
MHZ-75	3/4"
MHZ-100	1"

Rigid Conduit Fittings

Rigid Set Screw Connectors-Steel


- Use to Terminate IMC/Rigid Pipe to Box



Cat.No.	Conduit Size
SSCN-050R	1/2"
SSCN-075R	3/4"
SSCN-100R	1"
SSCN-125R	1 1/4"
SSCN-150R	1 1/2"
SSCN-200R	2"

Rigid Set Screw Couplings-Steel


- Use to Couple two ends of IMC/Rigid Pipe



Cat.No.	Conduit Size
SSCP-050R	1/2"
SSCP-075R	3/4"
SSCP-100R	1"
SSCP-125R	1 1/4"
SSCP-150R	1 1/2"
SSCP-200R	2"

Rigid Compression Connectors-Steel


- Use to Terminate IMC/Rigid Pipe to Box



Cat.No.	Conduit Size
Y-RT50	1/2"
Y-RT75	3/4"
Y-RT100	1"
Y-RT125	1 1/4"
Y-RT150	1 1/2"
Y-RT200	2"

Rigid Compression Couplings-Steel


- Use to Couple two ends of IMC/Rigid Pipe



Cat.No.	Conduit Size
Y-RTC50	1/2"
Y-RTC75	3/4"
Y-RTC100	1"
Y-RTC125	1 1/4"
Y-RTC150	1 1/2"
Y-RTC200	2"

Rigid Set Screw Connectors-Zinc


- Use to Terminate IMC/Rigid Pipe to Box



Cat.No.	Conduit Size
SSCN-050RZ	1/2"
SSCN-075RZ	3/4"
SSCN-100RZ	1"
SSCN-125RZ	1 1/4"
SSCN-150RZ	1 1/2"
SSCN-200RZ	2"

Rigid Set Screw Couplings-Zinc


- Use to Couple two ends of IMC/Rigid Pipe



Cat.No.	Conduit Size
SSCP-050RZ	1/2"
SSCP-075RZ	3/4"
SSCP-100RZ	1"
SSCP-125RZ	1 1/4"
SSCP-150RZ	1 1/2"
SSCP-200RZ	2"

Watertight Hubs-Zinc


- With insulated throat



Cat.No.	Conduit Size
H-050	1/2"
H-075	3/4"
H-100	1"
H-125	1 1/4"
H-150	1 1/2"
H-200	2"
H-250	2 1/2"
H-300	3"
H-400	4"

Watertight Hub with Bonding Screw


- With insulated throat



Cat.No.	Cat.No.	Conduit Size
Zinc	Malleable	
H-050	H-050M	1/2"
H-075	H-075M	3/4"
H-100	H-100M	1"
H-125	H-125M	1 1/4"
H-150	H-150M	1 1/2"
H-200	H-200M	2"
-	H-250M	2 1/2"
-	H-300M	3"
-	H-400M	4"
-	H-500M	5"
-	H-600M	6"

Rigid Union Male-Steel


- Zinc plated
- Hot dip galvanized



Cat.No.	Conduit Size
UNM-050	1/2"
UNM-075	3/4"
UNM-100	1"
UNM-125	1 1/4"
UNM-150	1 1/2"
UNM-200	2"
UNM-250	2 1/2"
UNM-300	3"
UNM-400	4"

Rigid Union Female-Steel

- Zinc plated
- Hot dip galvanized



Cat.No.	Conduit Size
UNF-050	1/2"
UNF-075	3/4"
UNF-100	1"
UNF-125	1 1/4"
UNF-150	1 1/2"
UNF-200	2"
UNF-250	2 1/2"
UNF-300	3"
UNF-400	4"

3-piece Union-Malleable Iron / Steel


- Zinc plated



Cat.No.	Conduit Size
TPU-050	1/2"
TPU-075	3/4"
TPU-100	1"
TPU-125	1 1/4"
TPU-150	1 1/2"
TPU-200	2"
TPU-250	2 1/2"
TPU-300	3"
TPU-350	3 1/2"
TPU-400	4"
TPU-500	5"
TPU-600	6"

Chase Nipples-Zinc / Steel

- Connect Box to Conduit Coupling



Cat.No.	Conduit Size
CN-050	1/2"
CN-075	3/4"
CN-100	1"
CN-125	1 1/4"
CN-150	1 1/2"
CN-200	2"
CN-250	2 1/2"
CN-300	3"
CN-350	3 1/2"
CN-400	4"
CN-500	5"
CN-600	6"


Rigid Conduit Fittings

Steel Conduit Fittings

Locknuts-Zinc / Steel



Zinc



Steel




Cat.No.	Cat.No.	Conduit Size
Zinc	Steel	
ZLN-050	LN-050	1/2"
ZLN-075	LN-075	3/4"
ZLN-100	LN-100	1"
ZLN-125	LN-125	1 1/4"
ZLN-150	LN-150	1 1/2"
ZLN-200	LN-200	2"
ZLN-250	LN-250	2 1/2"
ZLN-300	LN-300	3"
ZLN-350	LN-350	3 1/2"
ZLN-400	LN-400	4"
-	LN-500	5"
-	LN-600	6"

Conduit Bushing-Zinc




Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
CB-050	CB-050I	1/2"
CB-075	CB-075I	3/4"
CB-100	CB-100I	1"
CB-125	CB-125I	1 1/4"
CB-150	CB-150I	1 1/2"
CB-200	CB-200I	2"
CB-250	CB-250I	2 1/2"
CB-300	CB-300I	3"
CB-400	CB-400I	4"

Conduit Bushing-Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-Insulated	Insulated	
CB-050M	CB-050MI	1/2"
CB-075M	CB-075MI	3/4"
CB-100M	CB-100MI	1"
CB-125M	CB-125MI	1 1/4"
CB-150M	CB-150MI	1 1/2"
CB-200M	CB-200MI	2"
CB-250M	CB-250MI	2 1/2"
CB-300M	CB-300MI	3"
CB-350M	CB-350MI	3 1/2"
CB-400M	CB-400MI	4"
CB-500M	CB-500MI	5"
CB-600M	CB-600MI	6"

Grounding Bushing




Malleable Iron



Cat.No.	Conduit Size
CB-050G	1/2"
CB-075G	3/4"
CB-100G	1"
CB-125G	1 1/4"
CB-150G	1 1/2"
CB-200G	2"
CB-250G	2 1/2"
CB-300G	3"
CB-350G	3 1/2"
CB-400G	4"
CB-500G	5"
CB-600G	6"

Plastic Bushing

- Nylon



Cat.No.	Conduit Size
IPB-050	1/2"
IPB-075	3/4"
IPB-100	1"
IPB-125	1 1/4"
IPB-150	1 1/2"
IPB-200	2"
IPB-250	2 1/2"
IPB-300	3"
IPB-350	3 1/2"
IPB-400	4"

Reducing Bushing


- Steel



Cat.No.	Conduit Size
RB-075050	3/4" x 1/2"
RB-100050	1" x 1/2"
RB-100075	1" x 3/4"
RB-125050	1 1/4" x 1/2"
RB-125075	1 1/4" x 3/4"
RB-125100	1 1/4" x 1"
RB-150050	1 1/2" x 1/2"
RB-150075	1 1/2" x 3/4"
RB-150100	1 1/2" x 1"
RB-150125	1 1/2" x 1 1/4"
RB-200050	2" x 1/2"
RB-200075	2" x 3/4"
RB-200100	2" x 1"
RB-200125	2" x 1 1/4"
RB-200150	2" x 1 1/2"

EMT One Hole Strap


- Electro-galvanized(UL)
- Pre-galvanized



Cat.No.	Conduit Size
OSP-038	3/8"
OSP-050	1/2"
OSP-075	3/4"
OSP-100	1"
OSP-125	1 1/4"
OSP-150	1 1/2"
OSP-200	2"

EMT Two Hole Strap


- Electro-galvanized(UL)
- Pre-galvanized



Cat.No.	Conduit Size
TSP-038	3/8"
TSP-050	1/2"
TSP-075	3/4"
TSP-100	1"
TSP-125	1 1/4"
TSP-150	1 1/2"
TSP-200	2"

Rigid One Hole Strap


- Electro-galvanized(UL)



Cat.No.	Conduit Size
OSP-038R	3/8"
OSP-050R	1/2"
OSP-075R	3/4"
OSP-100R	1"
OSP-125R	1 1/4"
OSP-150R	1 1/2"
OSP-200R	2"
OSP-250R	2 1/2"
OSP-300R	3"
OSP-350R	3 1/2"
OSP-400R	4"

Rigid Two Hole Strap

- Electro-galvanized(UL)



Cat.No.	Conduit Size
TSP-050R	1/2"
TSP-075R	3/4"
TSP-100R	1"
TSP-125R	1 1/4"
TSP-150R	1 1/2"
TSP-200R	2"
TSP-250R	2 1/2"
TSP-300R	3"
TSP-350R	3 1/2"
TSP-400R	4"

Strut Clamps

- Electro-galvanized(UL)
- Hot dip galvanized
- SS304 / SS316



Cat.No.	Cat.No.	Conduit Size
Rigid	EMT	
SC-050	SC-050E	1/2"
SC-075	SC-075E	3/4"
SC-100	SC-100E	1"
SC-125	SC-125E	1 1/4"
SC-150	SC-150E	1 1/2"
SC-200	SC-200E	2"
SC-250	-	2 1/2"
SC-300	-	3"
SC-350	-	3 1/2"
SC-400	-	4"
SC-500	-	5"
SC-600	-	6"
SC-800	-	8"

Conduit Hanger with Bolt and Nut

- Electro-galvanized(UL)
- SS304 / SS316



Cat.No.	Conduit Size
CH-050	1/2"
CH-075	3/4"
CH-100	1"
CH-125	1 1/4"
CH-150	1 1/2"
CH-200	2"
CH-250	2 1/2"
CH-300	3"
CH-350	3 1/2"
CH-400	4"

Steel Conduit Fittings

Rigid Conduit Nipples

- Electro-galvanized
- Hot dip galvanized




Cat.No.	Pipe Size	Length
8380	1/2"	Close
8380112	1/2"	1"
83802	1/2"	2"
8380212	1/2"	2 1/2"
83803	1/2"	3"
8380312	1/2"	3 1/2"
83804	1/2"	4"
83805	1/2"	5"
83806	1/2"	6"
83808	1/2"	8"
838010	1/2"	10"
838012	1/2"	12"
8381	3/4"	Close
83812	3/4"	2"
8381212	3/4"	2 1/2"
83813	3/4"	3"
8381312	3/4"	3 1/2"
83814	3/4"	4"
83815	3/4"	5"
83816	3/4"	6"
83818	3/4"	8"
838110	3/4"	10"
838112	3/4"	12"
8382	1"	Close
83822	1"	2"
8382212	1"	2 1/2"
83823	1"	3"
8382312	1"	3 1/2"
83824	1"	4"
83825	1"	5"
83826	1"	6"
83828	1"	8"
838210	1"	10"
838212	1"	12"
8383	1 1/4"	Close
83832	1 1/4"	2"
8383212	1 1/4"	2 1/2"
83833	1 1/4"	3"
8383312	1 1/4"	3 1/2"
83834	1 1/4"	4"
83835	1 1/4"	5"
83836	1 1/4"	6"
83838	1 1/4"	8"
838310	1 1/4"	10"
838312	1 1/4"	12"

Cat.No.	Pipe Size	Length
8384	1 1/2"	Close
83842	1 1/2"	2"
8384212	1 1/2"	2 1/2"
83843	1 1/2"	3"
8384312	1 1/2"	3 1/2"
83844	1 1/2"	4"
83845	1 1/2"	5"
83846	1 1/2"	6"
83848	1 1/2"	8"
838410	1 1/2"	10"
838412	1 1/2"	12"
8385	2"	Close
8385212	2"	2 1/2"
83853	2"	3"
8385312	2"	3 1/2"
83854	2"	4"
83855	2"	5"
83856	2"	6"
83858	2"	8"
838510	2"	10"
838512	2"	12"
8386	2 1/2"	Close
83863	2 1/2"	3"
8386312	2 1/2"	3 1/2"
83864	2 1/2"	4"
83865	2 1/2"	5"
83866	2 1/2"	6"
83868	2 1/2"	8"
838610	2 1/2"	10"
838612	2 1/2"	12"
8387	3"	Close
83873	3"	3"
8387312	3"	3 1/2"
83874	3"	4"
83875	3"	5"
83876	3"	6"
83878	3"	8"
838710	3"	10"
838712	3"	12"
8388	3 1/2"	Close
83884	3 1/2"	4"
83885	3 1/2"	5"
83886	3 1/2"	6"
83888	3 1/2"	8"
838810	3 1/2"	10"
838812	3 1/2"	12"
8389	4"	Close
83894	4"	4"
83895	4"	5"
83896	4"	6"
83898	4"	8"
838910	4"	10"
838912	4"	12"

Electrical Accessories

Service Entrance Caps-Aluminum


- Clamp on type



Cat.No.	Conduit Size
CEC-050	1/2"
CEC-075	3/4"
CEC-100	1"
CEC-125	1 1/4"
CEC-150	1 1/2"
CEC-200	2"
CEC-250	2 1/2"
CEC-300	3"
CEC-350	3 1/2"
CEC-400	4"

Service Entrance Caps-Aluminum


- Threaded type



Cat.No.	Conduit Size
TEC-050	1/2"
TEC-075	3/4"
TEC-100	1"
TEC-125	1 1/4"
TEC-150	1 1/2"
TEC-200	2"
TEC-250	2 1/2"
TEC-300	3"
TEC-350	3 1/2"
TEC-400	4"

Straight Concrete Slab Electroform Inserts

- For Threaded Rigid Conduit & IMC



Cat.No.	Conduit Size
EF-50	1/2"
EF-75	3/4"
EF-100	1"
EF-125	1 1/4"

90° Concrete Slab Electroform Inserts

- For Threaded Rigid Conduit & IMC



Cat.No.	Conduit Size
EFL-50	1/2"
EFL-75	3/4"
EFL-100	1"


Rigid Floor Flange Plate-Malleable Iron

- 4-Holes



Cat.No.	Conduit Size
FB4-050Z	1/2"
FB4-075Z	3/4"
FB4-100Z	1"
FB4-200Z	2"

Countersunk Plug-Steel / Malleable Iron



Cat.No.	Conduit Size
CP-050	1/2"
CP-075	3/4"
CP-100	1"
CP-125	1 1/4"
CP-150	1 1/2"
CP-200	2"

Rigid Male Enlarger-Malleable Iron


- Adapt an outlet hole to the next larger size of pipe



Cat.No.	Conduit Size
RME-5075	1/2" M x 3/4" F
RME-50100	1/2" M x 1" F
RME-75100	3/4" M x 1" F

Rigid Male Enlarger-Steel


- Adapt an outlet hole to the next larger size of pipe



Cat.No.	Conduit Size
ME-050075	1/2" M x 3/4" F
ME-050100	1/2" M x 1" F
ME-075100	3/4" M x 1" F
ME-100125	1" M x 1 1/4" F

Electrical Accessories

Earthing Rods Copper Layer 0.1mm/ 0.25mm



Dia.(mm)	A(mm)	B(mm)	B1(mm)	C(mm)	D(mm)	ΦE(mm)	a°
7	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
8	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
10	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
12	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
12.5(1/2")	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
14	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
14.2(5/8")	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
16	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
17.2(3/4")	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
18	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
20	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
22	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
25	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5

Ground Rod Clamps Brass



Cat.No.	Conduit Size
GRC-038	3/8"
GRC-050	1/2"
GRC-058	3/4"
GRC-075	1"
GRC-100	1 1/4"

Split Bolt Connector Brass with Copper plated



Cable Size 1	Cable Size 2
16	10-16
25	8-12
35	6-10
50-70	4-8
90-120	2(strand)
150-185	1/0
200-240	2/0
-	3/0
-	4/0

Split Bolt Connector with Stud Brass with Copper plated



Cat.No.	Cable Size
SBC-11	8-6
SBC-12	6-3
SBC-13	3-2
SBC-14	2-1/10

Grounding Terminal Aluminum



Cat.No.	Wire Size
GT-4-14	4-14#
GT-4-1/0	4-1/0#

Terminal Lug-Single Aluminum



Cat.No.	Wire Size
TA-6S	6-14
TA-2	2-14
TA-0	1/0-14
TA-2/0	2/0-14
TA-250	250MCM
TA-300	300MCM
TA-350	350MCM
TA-500	500MCM
TA-600	600MCM


Terminal Lug-Double Aluminum



Cat.No.	Wire Size
AU-0	1/0-14
AU-2/0	2/0-14
AU-250	250MCM
AU-300	300MCM
AU-350	350MCM
AU-600	600MCM
AU-800	800MCM
AU-1000	1000MCM


Round Meter Socket

Cat.No.	Description	Hub Size
MT-100B	1Phase,100A,120/240Vac,4 Jaw	1/2"
MT-100C	1Phase,100A,120/240Vac,4 Jaw	3/4"
MT-100D	1Phase,100A,120/240Vac,4 Jaw	1"
MT-100E	1Phase,100A,120/240Vac,4 Jaw	1 1/4"



Square Meter Socket

Cat.No.	Description	Hub Size
MT-100S-4J-H	1Phase,100A,4 Jaw,Ring type	1 1/4"
MT-100S-4J	1Phase,100A,4 Jaw,Ring type	-
MT-125A-4J	1Phase,125A,4 Jaw,Ring type	-
MT-200A-4J	1Phase,200A,4 Jaw,Ring type	-



Thread Hub Adaptor


Cat.No.	Hub Size
HUB-075	3/4"
HUB-100	1"
HUB-125	1 1/4"
HUB-150	1 1/2"
HUB-200	2"



Electrical Accessories


Round Meter Socket

Cat.No.	Description	Hub Size
MT-100B	1Phase,100A,120/240Vac,4 Jaw	1/2"
MT-100C	1Phase,100A,120/240Vac,4 Jaw	3/4"
MT-100D	1Phase,100A,120/240Vac,4 Jaw	1"
MT-100E	1Phase,100A,120/240Vac,4 Jaw	1 1/4"



Square Meter Socket

Cat.No.	Description	Hub Size
MT-100S-4J-H	1Phase,100A,4 Jaw,Ring type	1 1/4"
MT-100S-4J	1Phase,100A,4 Jaw,Ring type	-
MT-125A-4J	1Phase,125A,4 Jaw,Ring type	-
MT-200A-4J	1Phase,200A,4 Jaw,Ring type	-



Thread Hub Adaptor

Cat.No.	Hub Size
HUB-075	3/4"
HUB-100	1"
HUB-125	1 1/4"
HUB-150	1 1/2"
HUB-200	2"






GAMMA ELEMEC
By GAMMA USA Technologies




Aluminum Conduit Body-Threaded & Set Screw Type

LB Style




Cat.No. Thread	Cat.No. Set Screw	Conduit Size
LB-050	LBC-050	1/2"
LB-075	LBC-075	3/4"
LB-100	LBC-100	1"
LB-125	LBC-125	1 1/4"
LB-150	LBC-150	1 1/2"
LB-200	LBC-200	2"
LB-250	LBC-250	2 1/2"
LB-300	LBC-300	3"
LB-350	LBC-350	3 1/2"
LB-400	LBC-400	4"

LL Style




Cat.No. Thread	Cat.No. Set Screw	Conduit Size
LL-050	LLC-050	1/2"
LL-075	LLC-075	3/4"
LL-100	LLC-100	1"
LL-125	LLC-125	1 1/4"
LL-150	LLC-150	1 1/2"
LL-200	LLC-200	2"
LL-250	LLC-250	2 1/2"
LL-300	LLC-300	3"
LL-350	LLC-350	3 1/2"
LL-400	LLC-400	4"

LR Style




Cat.No. Thread	Cat.No. Set Screw	Conduit Size
LR-050	LRC-050	1/2"
LR-075	LRC-075	3/4"
LR-100	LRC-100	1"
LR-125	LRC-125	1 1/4"
LR-150	LRC-150	1 1/2"
LR-200	LRC-200	2"
LR-250	LRC-250	2 1/2"
LR-300	LRC-300	3"
LR-350	LRC-350	3 1/2"
LR-400	LRC-400	4"

C Style




Cat.No. Thread	Cat.No. Set Screw	Conduit Size
C-050	CC-050	1/2"
C-075	CC-075	3/4"
C-100	CC-100	1"
C-125	CC-125	1 1/4"
C-150	CC-150	1 1/2"
C-200	CC-200	2"
C-250	CC-250	2 1/2"
C-300	CC-300	3"
C-350	CC-350	3 1/2"
C-400	CC-400	4"

T Style



Cat.No. Thread	Cat.No. Set Screw	Conduit Size
T-050	TC-050	1/2"
T-075	TC-075	3/4"
T-100	TC-100	1"
T-125	TC-125	1 1/4"
T-150	TC-150	1 1/2"
T-200	TC-200	2"
T-250	TC-250	2 1/2"
T-300	TC-300	3"
T-350	TC-350	3 1/2"
T-400	TC-400	4"


X Style



Cat.No. Thread	Conduit Size
X-050	1/2"
X-075	3/4"
X-100	1"
X-125	1 1/4"
X-150	1 1/2"
X-200	2"



TB Style



Cat.No. Thread	Conduit Size
TB-050	1/2"
TB-075	3/4"
TB-100	1"
TB-125	1 1/4"
TB-150	1 1/2"
TB-200	2"

Aluminum Conduit Body-Combination Type

LBE Style



Cat.No. Aluminum	Conduit Size
LBE-050	1/2"
LBE-075	3/4"
LBE-100	1"
LBE-125	1 1/4"
LBE-150	1 1/2"
LBE-200	2"

LLE Style



Cat.No. Aluminum	Conduit Size
LLE-050	1/2"
LLE-075	3/4"
LLE-100	1"
LLE-125	1 1/4"
LLE-150	1 1/2"
LLE-200	2"

LRE Style



Cat.No. Aluminum	Conduit Size
LRE-050	1/2"
LRE-075	3/4"
LRE-100	1"
LRE-125	1 1/4"
LRE-150	1 1/2"
LRE-200	2"

CE Style



Cat.No. Aluminum	Conduit Size
CE-050	1/2"
CE-075	3/4"
CE-100	1"
CE-125	1 1/4"
CE-150	1 1/2"
CE-200	2"

TE Style



Cat.No. Aluminum	Conduit Size
TE-050	1/2"
TE-075	3/4"
TE-100	1"
TE-125	1 1/4"
TE-150	1 1/2"
TE-200	2"

Cover & Gasket Stamped Aluminum



Cat.No.	Conduit Size
SAC-050	1/2"
SAC-075	3/4"
SAC-100	1"
SAC-125/150	1 1/4"/1 1/2"
SAC-200	2"
SAC-250/300	2 1/2"/3"
SAC-350/400	3 1/2"/4"

Cover & Gasket Aluminum Die Cast



Cat.No.	Conduit Size
CG-050	1/2"
CG-075	3/4"
CG-100	1"
CG-125/150	1 1/4"/1 1/2"
CG-200	2"
CG-250/300	2 1/2"/3"
CG-350/400	3 1/2"/4"

Malleable Iron Conduit Body

LB Style



Cat.No. Malleable Iron	Conduit Size
MLB-50	1/2"
MLB-75	3/4"
MLB-100	1"
MLB-125	1 1/4"
MLB-150	1 1/2"
MLB-200	2"
MLB-250	2 1/2"
MLB-300	3"
MLB-350	3 1/2"
MLB-400	4"

LL Style



Cat.No. Malleable Iron	Conduit Size
MLL-50	1/2"
MLL-75	3/4"
MLL-100	1"
MLL-125	1 1/4"
MLL-150	1 1/2"
MLL-200	2"
MLL-250	2 1/2"
MLL-300	3"
MLL-350	3 1/2"
MLL-400	4"

LR Style



Cat.No. Malleable Iron	Conduit Size
MLR-50	1/2"
MLR-75	3/4"
MLR-100	1"
MLR-125	1 1/4"
MLR-150	1 1/2"
MLR-200	2"
MLR-250	2 1/2"
MLR-300	3"
MLR-350	3 1/2"
MLR-400	4"

C Style



Cat.No. Malleable Iron	Conduit Size
MC-50	1/2"
MC-75	3/4"
MC-100	1"
MC-125	1 1/4"
MC-150	1 1/2"
MC-200	2"
MC-250	2 1/2"
MC-300	3"
MC-350	3 1/2"
MC-400	4"

T Style



Cat.No. Malleable Iron	Conduit Size
MT-50	1/2"
MT-75	3/4"
MT-100	1"
MT-125	1 1/4"
MT-150	1 1/2"
MT-200	2"
MT-250	2 1/2"
MT-300	3"
MT-350	3 1/2"
MT-400	4"

TB Style



Cat.No. Malleable Iron	Conduit Size
MTB-50	1/2"
MTB-75	3/4"
MTB-100	1"
MTB-125	1 1/4"
MTB-150	1 1/2"
MTB-200	2"

X Style




Cat.No. Malleable Iron	Conduit Size
MX-50	1/2"
MX-75	3/4"
MX-100	1"
MX-125	1 1/4"
MX-150	1 1/2"
MX-200	2"

PVC Boxes

LB Style


- Gray Color



Cat.No.	Conduit Size
LB-P050	1/2"
LB-P075	3/4"
LB-P100	1"
LB-P125	1 1/4"
LB-P150	1 1/2"
LB-P200	2"

LL Style


- Gray Color



Cat.No.	Conduit Size
LL-P050	1/2"
LL-P075	3/4"
LL-P100	1"
LL-P125	1 1/4"
LL-P150	1 1/2"
LL-P200	2"

LR Style


- Gray Color



Cat.No.	Conduit Size
LR-P050	1/2"
LR-P075	3/4"
LR-P100	1"
LR-P125	1 1/4"
LR-P150	1 1/2"
LR-P200	2"

C Style


- Gray Color



Cat.No.	Conduit Size
C-P050	1/2"
C-P075	3/4"
C-P100	1"
C-P125	1 1/4"
C-P150	1 1/2"
C-P200	2"

T Style


- Gray Color



Cat.No.	Conduit Size
T-P050	1/2"
T-P075	3/4"
T-P100	1"
T-P125	1 1/4"
T-P150	1 1/2"
T-P200	2"

Rectangular Plastic Box

- Gray Color



Cat.No.	Depth
58361P	1 1/8"

Square Plastic Box

- Gray Color



Cat.No.	Depth
52161P	1 1/8"

Octagonal Plastic Box

- Gray Color



Cat.No.	Depth
54161P	1 1/8"

PVC Conduit Fittings

PVC Coupling


- Gray Color



Cat.No.	Conduit Size
P101-P050	1/2"
P101-P075	3/4"
P101-P100	1"
P101-P125	1 1/4"
P101-P150	1 1/2"
P101-P200	2"
P101-P300	3"
P101-P400	4"
P101-P600	6"

PVC Schedule 40 Elbow

- Gray Color



Cat.No.	Cat.No.	Conduit Size
Plain End	Bell End	
CAS02050	CAS03050	1/2"
CAS02075	CAS03075	3/4"
CAS02100	CAS03100	1"
CAS02125	CAS03125	1 1/4"
CAS02150	CAS03150	1 1/2"
CAS02200	CAS03200	2"
CAS02250	CAS03250	2 1/2"
CAS02300	CAS03300	3"
CAS02400	CAS03400	4"

PVC Male Adaptor


- Gray Color



Cat.No.	Conduit Size
PTA-050	1/2"
PTA-075	3/4"
PTA-100	1"
PTA-125	1 1/4"
PTA-150	1 1/2"
PTA-200	2"
PTA-250	2 1/2"
PTA-300	3"
PTA-400	4"

PVC Female Adaptor

- Gray Color



Cat.No.	Conduit Size
PFA-050	1/2"
PFA-075	3/4"
PFA-100	1"
PFA-125	1 1/4"
PFA-150	1 1/2"
PFA-200	2"
PFA-250	2 1/2"
PFA-300	3"
PFA-400	4"

RCR Sheathed Push-in Cable Connector

- Red Color



Cat.No.	Conduit Size
PICC-050	1/2"
PICC-075	3/4"

Two Hole PVC Strap


- Gray Color



Cat.No.	Conduit Size
TSP-P050	1/2"
TSP-P075	3/4"
TSP-P100	1"
TSP-P125	1 1/4"
TSP-P150	1 1/2"
TSP-P200	2"
TSP-P250	2 1/2"

PVC Gang Box


- Gray Color



Cat.No.	Conduit Size
Type FSE	
PFSE-050	1/2"
PFSE-075	3/4"
PFSE-100	1"
Type FSC	
PFSC-050	1/2"
PFSC-075	3/4"
PFSC-100	1"
Type FSS	
PFSS-050	1/2"
PFSS-075	3/4"
PFSS-100	1"

PVC Junction Box with Cover

- Gray Color



Cat.No.	Size
PJB-P442	4x4x2
PJB-P444	4x4x4
PJB-P664	6x6x4
PJB-P666	6x6x6
PJB-P884	8x8x4
PJB-P886	8x8x6
PJB-P887	8x8x7
PJB-P12124	12x12x4
PJB-P12126	12x12x6

Aluminum Weatherproof Boxes

4x2" Single Gang



	Cat.No.	Hub Size	Deep	Outlets
Three Outlets	1G50-3	1/2"	2"	Top 1
	1G75-3	3/4"	2"	Bottom 1
	1G100-3	1"	2"	Back 1
	1DG50-3	1/2"	2 3/8"	Total 3
	1DG75-3	3/4"	2 3/8"	
	1DG100-3	1"	2 3/8"	

Four Outlets	1G50-4	1/2"	2"	Top 2
	1G75-4	3/4"	2"	Bottom 1
	1DG50-4	1/2"	2 3/8"	Back 1
	1DG75-4	3/4"	2 3/8"	Total 4

Five Outlets	1G50-5	1/2"	2"	Top 2
	1G75-5	3/4"	2"	Bottom 2
				Back 1
				Total 5

Five Outlets(2 side)	1G50-5X	1/2"	2"	Top 1
	1G75-5X	3/4"	2"	Bottom 1
	1DG50-5X	1/2"	2 3/8"	Side 1
	1DG75-5X	3/4"	2 3/8"	Side 1
	1DG100-5X	1"	2 3/8"	Back 1
				Total 5

Three Gang

	Cat.No.	Hub Size	Deep	Outlets
Three Gang	3G50-7	1/2"	2 3/8"	Top 3
	3G75-7	3/4"	2 3/8"	Bottom 3
	3G100-7	1"	2 3/8"	Back 1
				Total 7

4" Round Boxes



	Cat.No.	Hub Size	Deep	Outlets
4" Round Boxes	RB50-5	1/2"	1 3/8"	Bottom 1
	RB75-5	3/4"	1 3/8"	Side 1
				Side 1
				Side 1
				Side 1
				Total 5

4x4" Two Gang



	Cat.No.	Hub Size	Deep	Outlets
Three Outlets	2G50-3	1/2"	2 3/8"	Top 1
	2G75-3	3/4"	2 3/8"	Bottom 1
	2G100-3	1"	2 3/8"	Back 1
				Total 3

Four Outlets	2G50-4	1/2"	2 3/8"	Top 2
	2G75-4	3/4"	2 3/8"	Bottom 1
	2G100-4	1"	2 3/8"	Back 1
				Total 4

Five Outlets	2G50-5	1/2"	2 3/8"	Top 2
	2G75-5	3/4"	2 3/8"	Bottom 2
	2DG50-5	1/2"	2 3/8"	Back 1
	2DG75-5	3/4"	2 3/8"	Total 5
	2DG100-5	1"	2 3/8"	

Five Outlets(2 side)	2G50-5X	1/2"	2 3/8"	Top 1
	2G75-5X	3/4"	2 3/8"	Bottom 1
	2G100-5X	1"	2 3/8"	Side 1
				Side 1
				Back 1
				Total 5

Seven Outlets	2G50-7	1/2"	2 3/8"	Top 3
	2G75-7	3/4"	2 3/8"	Bottom 3
				Back 1
				Total 7


Seven Outlets(2 side)	2G50-7X	1/2"	2 3/8"	Top 2
	2G75-7X	3/4"	2 3/8"	Bottom 2
	2DG50-7X	1/2"	2 3/8"	Side 1
	2DG75-7X	3/4"	2 3/8"	Side 1
	2DG100-7X	1"	2 3/8"	Back 1
				Total 7

Nine Outlets	2G50-9	1/2"	2 3/8"	Top 3
	2G75-9	3/4"	2 3/8"	Bottom 3
				Side 1
				Side 1
				Back 1
				Total 9


Weatherproof Boxes and Covers

Extensions-Single Gang

Cat.No.	Hub Size	Deep	Outlets
EXR-1	N/A	1 3/8"	0
EB50-4	1/2"	1 3/8"	4
EB75-4	3/4"	1 3/8"	4
EB50-6	1/2"	1 3/8"	6
EB75-6	3/4"	1 3/8"	6



Cat.No.	Hub Size	Deep	Outlets
EXF50-2	1/2"	1 3/8"	2
EXF50-4	1/2"	1 3/8"	4
EXF75-4	3/4"	1 3/8"	4
EXF50-6	1/2"	1 3/8"	6
EXF75-6	3/4"	1 3/8"	6




Blank Covers



	Cat.No.	Description
Round	RBC-4	4" Round Cover
Single Gang	1BC	1 Gang Device Mount
Two Gang	2BC	2 Gang Device Mount
Three Gang	3BC	3 Gang Device Mount

Extensions-Two Gang

Cat.No.	Hub Size	Deep	Outlets
EXR-2	-	1 3/8"	0
2EB50-6	1/2"	1 3/8"	6
2EB75-6	3/4"	1 3/8"	6
2EB50-8	1/2"	1 3/8"	8
2EB75-8	3/4"	1 3/8"	8



Extensions-Round

Cat.No.	Hub Size	Deep	Outlets
EXR50-4	1/2"	1 3/8"	4
EXR75-4	3/4"	1 3/8"	4

Closure Plugs

Cat.No.	Hub Size
PL-050	1/2"
PL-075	3/4"
PL-100	1"

Lampholder-Aluminum

Cat.No.	Description
LH-150-5	Inside gasket and ground screw 150W PAR 38

Lampholder Assemblies-Aluminum

Cat.No.	Description
LC23N	120V 150W PAR 38 Lampholder with Round Cover


4" Round Lamp Holder Covers Aluminum



Weatherproof Box Covers


Cat.No.	Hub Size	Outlet Holes	Description
RC-1	1/2"	1	One tapped hole
RC-2	1/2"	2	Two tapped hole
RC-3	1/2"	3	Three tapped hole

Jumbo Covers-Aluminum




Cat.No.	Hub Size	Outlet Holes	Description
RC-1-N	1/2"	1	One tapped hole
RC-2-N	1/2"	2	Two tapped hole
RC-3-N	1/2"	3	Three tapped hole

Single Lamp Holder Covers Aluminum




Cat.No.	Hub Size	Outlet Holes	Description
RE-1	1/2"	1	One hole device mount
RE-2	1/2"	2	Two hole device mount
RE-3	1/2"	3	Three hole device mount

Single Gang Device Covers



Cat.No.	Description
1C-DH	Duplex Receptacle Cover,Horizontal
1C-DV	Duplex Receptacle Cover,Vertical
1C-GH	GFCI Receptacle Cover,Horizontal
1C-GV	GFCI Receptacle Cover,Vertical
TS100	One Gang Cover

Two Gang Device Covers




Cat.No.	Description
2C-2D	Two Duplex Receptacle Cover,Horizontal
2C-2G	Two GFCI Receptacle Cover,Vertical
2C-GD	One Duplex and one GFCI Receptacle Cover
2C-2S	Two single Receptacle Cover-1.41"Dia.opening
2C-SD	One single and One Duplex Receptacle Cover-1.41"Dia.opening
2C-GS	Single Receptacle and one GFCI Receptacle Cover-1.41"Dia.opening
TS200	Double Switch Cover



Square Boxes and Covers

4" Square Boxes, Drawn Type



Cat.No.	Knockouts	
	Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
52151-1/2	12x1/2"	5x1/2"
52151-3/4	8x3/4"	3x1/2", 2x3/4"
52151-1/2&3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
1 1/8" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
52161-1/2	12x1/2"	5x1/2"
52161-3/4	8x3/4"	3x1/2", 2x3/4"
52161-1/2&3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
52161-1	8x1"	3x1/2", 2x3/4"
52161-3/4&1	4x3/4", 4x1"	3x1/2", 2x3/4"

2 1/8" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
52171-1/2	12x1/2"	5x1/2"
52171-3/4	8x3/4"	3x1/2", 2x3/4"
52171-1/2&3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
52171-1	8x1"	3x1/2", 2x3/4"
52171-3/4&1	4x3/4", 4x1"	3x1/2", 2x3/4"

Note: Concentric KO.type & Grounding type also available


4" Square Device Covers

For Single Device, Steel



Cat.No.	Raised	Description
Thickness: 1.0mm 1.2mm 1.5mm 1.6mm		
52C0	0	Flat
52C10	1/4"	-
52C62	1/4"	Keyed for Plaster
52C13	1/2"	-
52C3	1/2"	W/ Mud Ring

4" Square Extension Rings, Drawn Type



Cat.No.	Knockouts
	EA.Side
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm	
53151-½	12x1/2"
53151-¾	8x1/2"
53151-½&¾	8x1/2",4x3/4"
2⅝" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm	
53171-½	12x1/2"
53171-¾	8x3/4"
53171-½&¾	8x1/2",4x3/4"
53171-1	8x1"
53171-¾&1	4x3/4",4x1"

4" Square Box Covers



Cat.No.	Description
Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm	
52C1	Flat, blank
52C6	Flat, with 1/2" KO.
52C8	Flat, with 3/4" KO.


4" Square Device Covers

For Two Devices, Steel



Cat.No.	Raised	Description
Thickness: 1.0mm 1.2mm 1.5mm 1.6mm		
52C00	0	Flat
52C20-25	1/4"	-
52C17-25	1/2"	-


4" Square Boxes, Weld Type



Cat.No.	Knockouts	
	EA.Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
52151W-1/2	12x1/2"	5x1/2"
52151W-3/4	8x3/4"	3x1/2", 2x3/4"
52151W-1/2&3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
2 1/8" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
52171W-1/2	12x1/2"	3x1/2", 2x3/4"
52171W-3/4	8x3/4"	3x1/2", 2x3/4"
52171W-1/2&3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
52171W-1	8x1"	3x1/2", 2x3/4"
52171W-3/4&1	4x3/4", 4x1"	3x1/2", 2x3/4"


Note: Concentric KO.type & Grounding type also available

4" Square Surface Covers-1/2" Raised



Cat.No.	Description
Thickness: 1.6mm	
4401	(1)Toggle Switch
4402	(1)Duplex Flush Receptacle
4403	(1)Single Flush Receptacle, 1.406"Dia
4404	(1)GFCI Receptacle
4405	(1)4-Wire Twist-lock Single Flush Receptacle
4407	(1)30 or 50A Receptacle, 2.156"Dia
4411	(2)Toggle Switch


4" Square Boxes, Weld Type with Side Bracket



Cat.No.	Knockouts	
	EA.Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 1.6mm		
BC-A414	6x1/2"+3xConcentric KO.	3x1/2"+2xConcentric KO.
2 1/8" Deep-with Conduit KO's Thickness: 1.6mm		
BC-A422	6x1/2"+3xConcentric KO.	3x1/2"+2xConcentric KO.

Note: Grounding type also available

4" Square Boxes, Weld Type with Cable Clamps and Side Bracket




Cat.No.	Knockouts	
	EA.Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 1.6mm		
BC-A420	2x1/2"+1xConcentric KO.	1x1/2"
2 1/8" Deep-with Conduit KO's Thickness: 1.6mm		
BC-A419	2x1/2"+1xConcentric KO.	1x1/2"

Cat.No.	Description
Thickness: 1.6mm	
4412	(1)Toggle Switch;(1)Duplex Receptacle
4413	(1)Toggle Switch;(1)Single Flush Receptacle
4414	(1)Toggle Switch;(1)GFCI Receptacle
4422	(2)Duplex Receptacle
4423	(1)Duplex Receptacle;(1)Receptacle, 1.406"Dia
4424	(1)Duplex Receptacle;(1)GFCI Receptacle
4433	(2)Single Flush Receptacle

Square Boxes and Covers

Rectangular Boxes and Covers



4x2" Rectangular Boxes, Drawn Type



Cat.No.	Knockouts	
	Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm		
58351-1/2	8x1/2"	3x1/2"
58351-3/4	6x3/4"	2x3/4"
58351-1/2&3/4	6x1/2", 2x3/4"	2x1/2", 1x3/4"
1 7/8" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
58361-1/2	8x1/2"	3x1/2"
58361-3/4	6x3/4"	2x3/4"
58361-1/2&3/4	4x1/2", 4x3/4"	2x1/2", 1x3/4"
2 1/8" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
58371-1/2	8x1/2"	3x1/2"
58371-3/4	6x3/4"	2x3/4"
58371-1/2&3/4	4x1/2", 4x3/4"	2x1/2", 1x3/4"
58371-1	6x1"	2x1/2", 1x3/4"

Note: Concentric KO type & Grounding type also available


4x2" Rectangular Box Covers



Cat.No.	Hole Size	Description
Thickness: 0.8mm 1.0mm 1.2mm 1.5mm		
58C1		Blank
58C4	1 1/2"	For 4-wire twist-lock single flush receptacle
58C5	1 1/2"	For single receptacle
58C6		With 1/2" KO.
58C7		For duplex flush receptacle
58C11		With 1 1/2" bushed hole
58C16		For single GFCI receptacle
58C30		For one toggle switch




4x2" Rectangular Box Extension Rings



Cat.No.	Knockouts	
	EA.Side	
1½" Deep-with Conduit KO's		
Thickness: 0.8mm 1.0mm 1.2mm 1.5mm		
59351-½	8x1/2"	
1⅞" Deep-with Conduit KO's		
Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm		
59361-½	8x1/2"	
59361-¾	6x3/4"	
59361-½&¾	4x1/2",4x3/4"	
2⅞" Deep-with Conduit KO's		
Thickness: 1.0mm 1.2mm 1.4mm 1.5mm		
59371-½	8x1/2"	
59371-¾	6x3/4"	
59371-½&¾	4x1/2",4x3/4"	
59371-1	6x1"	

4" Octagonal Boxes, Drawn Type



Cat.No.	Knockouts	
	Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
54151-1/2	4x1/2"	5x1/2"
54151-3/4	4x3/4"	3x1/2", 2x3/4"
54151-1/2&3/4	2x1/2", 2x3/4"	3x1/2", 2x3/4"
1 7/8" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
54161-1/2	4x1/2"	5x1/2"
54161-3/4	4x3/4"	3x1/2", 2x3/4"
54161-1/2&3/4	2x1/2", 2x3/4"	3x1/2", 2x3/4"
2 1/8" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
54171-1/2	4x1/2"	5x1/2"
54171-3/4	4x3/4"	3x1/2", 2x3/4"
54171-1/2&3/4	2x1/2", 2x3/4"	3x1/2", 2x3/4"
54171-1	4x1"	3x1/2", 2x3/4"
54171-3/4&1	2x3/4", 2x1"	3x1/2", 2x3/4"

Note: Concentric KO type & Grounding type also available

4" Octagonal Box Covers




Cat.No.	Description
Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm	
54C1	Flat, blank
54C6	Flat, with 1/2" KO.
54C8	Flat, with 3/4" KO.

4" Octagonal Box Extension Rings, Drawn Type




Cat.No.	Knockouts
	EA.Side
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm	
55151-½	4x1/2"
55151-¾	4x3/4"
55151-½&¾	2x1/2", 2x3/4"

4" Octagonal Boxes, Drawn Type with Cable Clamps



Cat.No.	Knockouts	
	Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 1.6mm		
BC-B023	2x1/2"	1x1/2" + Cable Clamps

4" Octagonal Boxes, Drawn Type with Cable Clamps and Bar Hanger



Cat.No.	Knockouts	
	Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 1.6mm		
BC-B012	2x1/2"	1x1/2" + Cable Clamps

Square Boxes and Covers


4-11/16" Square Boxes, Drawn Type



Cat.No.	Knockouts	
	EA.Side	Bottom
2 1/8" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
72171-1/2	12x1/2"	5x1/2"
72171-3/4	8x3/4"	3x1/2", 2x3/4"
72171-1/2 & 3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
72171-1	8x1"	3x1/2", 2x3/4"
72171-3/4 & 1	4x3/4", 4x1"	3x1/2", 2x3/4"
72171-1 1/4	4x1-1/4"	3x1/2", 2x3/4"

Note: Concentric KO.type & Grounding type also available


4-11/16" Square Boxes, Weld Type




Cat.No.	Knockouts	
	EA.Side	Bottom
2 1/8" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
72171W-3/4	8x3/4"	5x1/2"
72171W-1/2 & 3/4	8x1/2", 4x3/4"	3x1/2", 2x3/4"
72171W-1	8x1"	3x1/2", 2x3/4"
72171W-3/4 & 1	4x3/4", 4x1"	3x1/2", 2x3/4"
72171W-1 1/4	4x1-1/4"	3x1/2", 2x3/4"

Note: Concentric KO.type & Grounding type also available

4-11/16" Square Box Cover




72C1




72C6 / 72C8



Cat.No.	Description
Thickness: 1.0mm 1.2mm 1.5mm 1.6mm	
72C1	Flat, blank
72C6	Flat, with 1/2" KO.
72C8	Flat, with 3/4" KO.



72C1*




72C6* / 72C8*



Cat.No.	Description
Thickness: 1.6mm	
72C1*	Flat, blank
72C6*	Flat, with 1/2" KO.
72C8*	Flat, with 3/4" KO.

Swivel Type Cover Plates-Square


- with 3/4"x1/2" Reducing Bushing



Cat.No.	Description
SCS-75	3/4"x1/2"

Swivel Type Cover Plates-Round

- with 3/4"x1/2" Reducing Bushing



Cat.No.	Description
SCR-75	3/4"x1/2"


Electrical Junction Boxes and Covers

4" Octagonal Side Boxes, Drawn Type



Cat.No.	Knockouts	
	EA.Side	Bottom
1 1/4" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
54151C- 1/2 & 3/4	6x1/2" & 3/4" Concentric	2x1/2", 1x3/4"


4" Octagonal Box Round Covers



54C1R



54C6R / 54C8R



54C3

Cat.No.	Description
Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm	
54C1R	Flat, blank
54C6R	Flat, with 1/2" KO.
54C8R	Flat, with 3/4" KO.
54C3	W/ Mud Ring

4" Octagonal Side Box Cover




54C1-8



54C6-8

Cat.No.	Description
Thickness: 1.0mm 1.2mm 1.5mm 1.6mm	
54C1-8	Flat, blank
54C6-8	Flat, with 1/2" KO.



4" Round Pancake Box



Cat.No.	Description-Bottom
1/8" Deep-with Conduit KO's Thickness: 1.6mm	
BC-Y002	5x1/2"
1/8" Deep-with Conduit KO's	
BC-Y001	4x1/2", W/ Grounding Screw



Note: 1/8" Depth is also available

Multi-gang Boxes and Covers



Type	Knockouts	
	EA.Side	Bottom
1 1/8" & 2 1/2" Deep-with Conduit KO's Thickness: 1.6mm		
2 Gang	12x1/2" & 3/4" Concentric	4x1/2", 2x3/4"
3 Gang	14x1/2" & 3/4" Concentric	6x1/2", 4x3/4"
4 Gang	16x1/2" & 3/4" Concentric	6x1/2", 4x3/4"
5 Gang	18x1/2" & 3/4" Concentric	6x1/2", 4x3/4"
6 Gang	20x1/2" & 3/4" Concentric	6x1/2", 4x3/4"

Masonry Boxes



Type	Knockouts	
	EA.Side	Bottom
2 1/8" & 3 1/2" Deep-with Conduit KO's Thickness: 1.6mm		
1 Gang	6x1/2" & 3/4" Concentric	2x1/2" & 3/4" Concentric
2 Gang	8x1/2" & 3/4" Concentric	4x1/2" & 3/4" Concentric
3 Gang	10x1/2" & 3/4" Concentric	6x1/2" & 3/4" Concentric
4 Gang	12x1/2" & 3/4" Concentric	8x1/2" & 3/4" Concentric
5 Gang	14x1/2" & 3/4" Concentric	10x1/2" & 3/4" Concentric
6 Gang	16x1/2" & 3/4" Concentric	12x1/2" & 3/4" Concentric

Square Boxes and Covers

Adaptable GI Box & Cover



Size	Size
100x100x55	100x100x100
150x150x50	150x150x100
200x200x50	200x200x100
250x250x50	250x250x100
300x300x50	300x300x100
400x400x50	400x400x100
150x150x75	150x150x150
200x200x75	200x200x150
250x250x75	250x250x150
300x300x75	300x300x150
400x400x75	400x400x150

Floor Outlets with Square Box



Cat.No.	Description
FO-1x2P	with 10A 250V 1x2Pin Receptacle Outlet
FO-1x3U	with 3Pin Universal Receptacle Outlet
FO-1x3P	with 15A 125V Receptacle Outlet
FO-2x3P	with 2pcs 15A 125V Receptacle Outlet

Knock-out Seals

- Pre-galvanized



Cat.No.	Size
KOS-050	1/2"
KOS-075	3/4"
KOS-100	1"
KOS-125	1 1/4"
KOS-150	1 1/2"
KOS-200	2"

Steel Safety Plate

- Pre-galvanized (G90)



Cat.No.	Size
SSG-150300	1-1/2"x3"
SSG-150500	1-1/2"x5"

EMT Nail Straps



Cat.No.	Size
DS050	1/2"
DS075	3/4"
DS100	1"

Type S with Screw and Bar Knockout Seals

- Pre-galvanized



Cat.No.	Size
SKS-050	1/2"
SKS-075	3/4"
SKS-100	1"
SKS-125	1 1/4"
SKS-150	1 1/2"
SKS-200	2"
SKS-250	2 1/2"
SKS-300	3"
SKS-350	3 1/2"
SKS-400	4"

3 Piece Hole Seal with Rubber Gasket



Cat.No.	Size
3PHS-050	1/2"
3PHS-075	3/4"
3PHS-100	1"
3PHS-125	1 1/4"
3PHS-150	1 1/2"
3PHS-200	2"
3PHS-250	2 1/2"
3PHS-300	3"
3PHS-350	3 1/2"
3PHS-400	4"

Electrical Conduit Box

1 Gang Metal Junction Box



2 Gang Metal Junction Box



1+1 Metal Junction Box



1+2 Metal Junction Box



1+1+1 Metal Junction Box



2 Gang BS GI Box



3 Gang BS GI Box



4 Gang BS GI Box



100x50mm Magic Box




1 Gang Switch Box Cover



Cat.No.	Description
55C20	20mm K.O.
55C25	25mm K.O.
55C6	1/2" K.O.
55C8	3/4" K.O.

2 Gang Switch Box Cover



Cat.No.	Description
56C1	Flat, blank

1 Gang Metal Clad Cavity Box



Cat.No.	Description
M831	40mm Deep
M833	50mm Deep
M831C	40mm Deep, With Cover
M833C	50mm Deep, With Cover

2 Gang Metal Clad Cavity Box



Cat.No.	Description
M832	40mm Deep
M834	50mm Deep
M832C	40mm Deep, With Cover
M834C	50mm Deep, With Cover



GAMMA ELEMEC
By GAMMA USA Technologies



Galvanized Flexible Conduit-Economic To South American and Middle East Market



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
3/8"	13	15.5	100/50/30
1/2"	19	21.5	100/50/30
3/4"	23	26	100/50/30
1"	28	31	100/50/30
1 1/4"	35	39	50/25/20
1 1/2"	42	46	50/25/15
2"	54	60	50/15/10
2 1/2"	66	74	20/15/10
3"	78	88	20/15/10
4"	100	113	20/15/10

Other length of per coil also available

Greenfield Flexible Conduit-Heavy Duty To American Market



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
3/8"	10.0	14.8	50/30
1/2"	16.4	22.5	50/30
3/4"	20.5	26.4	50/30
1"	26.4	32.5	50/30
1 1/4"	32.5	40.2	25/15
1 1/2"	38.9	47.0	25/15
2"	51.9	61.0	15/7.5
2 1/2"	63.0	74.0	15/7.5
3"	75.0	88.0	15/7.5
4"	100.0	114.0	15/7.5

Other length of per coil also available



Galvanized Flexible Conduit, to the Philippines Market



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
3/8"	13	15.5	30
1/2"	16	19	30
3/4"	20	23	30
1"	25	29	30
1 1/4"	32	37	30
1 1/2"	38	43	30
2"	51	57.5	30

Squeeze Connector Straight

Die Cast Zinc



Cat.No.	Conduit Size
Non-insulated	
SSC-038	3/8"
SSC-050	1/2"
SSC-075	3/4"
SSC-100	1"
SSC-125	1 1/4"
SSC-150	1 1/2"
SSC-200	2"
SSC-250	2 1/2"
SSC-300	3"
SSC-400	4"

90° Squeeze Connector

Die Cast Zinc



Cat.No.	Conduit Size
Non-insulated	
ASC-038	3/8"
ASC-050	1/2"
ASC-075	3/4"
ASC-100	1"
ASC-125	1 1/4"
ASC-150	1 1/2"
ASC-200	2"
ASC-250	2 1/2"
ASC-300	3"
ASC-400	4"

Screw-in Connectors

Die Cast Zinc or Aluminum



Cat.No.	Cat.No.	Conduit Size
Zinc	Aluminum	
XC-038	XC-038A	3/8"
XC-050	XC-050A	1/2"
XC-075	XC-075A	3/4"
XC-100	XC-100A	1"

Screw-in Couplings

Die Cast Zinc



Cat.No.	Conduit Size
XK-050	1/2"
XK-075	3/4"
XK-100	1"

EMT Compression to Flex Screw in Couplings

Die Cast Zinc



Cat.No.	Conduit Size
TMC-50	1/2"
TMC-75	3/4"
TMC-100	1"

EMT Set-Screw to NM Cable Combination Couplings

Die Cast Zinc



Cat.No.	Conduit Size
EFC50-50	1/2"

Two Screw Duplex Connector, to Philippines Market

Die Cast Zinc or Aluminum



Cat.No.	Conduit Size
DPC-050	1/2" x 16mm
DPC-075	3/4" x 20mm
DPC-100	1" x 25mm

Thread x Inner Dia. of Flex. Conduit

Flex Conduit Connector, to Thailand Market

Die Cast Zinc



Cat.No.	Conduit Size
FCC-050	1/2" x 12.5mm
FCC-075	3/4" x 18.0mm
FCC-100	1" x 25.5mm

Thread x Inner Dia. of Flex. Conduit

Combination Cable Connectors

Die Cast Zinc



Cat.No.	Size
Non-insulated	
SCCC-038	3/8" (1/2" KO.)

One Screw Duplex Connectors

Die Cast Zinc



Cat.No.	Size
Non-insulated	
OSDC-038	3/8"

NM Cable Connectors

Die Cast Zinc



Cat.No.	Size
Non-insulated	
RTCC-050	1/2"
RTCC-075	3/4"
RTCC-100	1"
RTCC-125	1 1/4"
RTCC-150	1 1/2"
RTCC-200	2"

Saddle type Connectors

Die Cast Zinc



Cat.No.	Size
Non-insulated	
STFC-038	3/8"

Midget One Hole Straps



Cat.No.	Cable Size
MHS-102	3/16"
MHS-104	1/4"

One Hole Cable Straps



Cat.No.	Cable Size
SBX-171	#14/2-#12/2
SBX-181	3/8"

Steel Fastlock Connectors

with Red Insulated Throat



Cat.No.	Size
FLC-50	1/2"
FLC-5075	1/2"
FLC-75	3/4"
FLCD-50	1/2" Duplex

Service Entrance Strap One/Two Hole



Cat.No.	Cable Size
SE-191	#8/3-#4/3
SE-192	#3/3-#2/3
SE-193	#1-#2/0
SE-194	#3/0-#4/0
SE-291	#8/3-#4/3
SE-292	#3/3-#2/3
SE-293	#1-#2/0
SE-294	#3/0-#4/0

Liquid Tight Conduit with Filler of Cord



Trade Size	Inside Dia.(mm)		Outside Dia.(mm)		Coil Length (m)	Color
	Min.	Max.	Min.	Max.		
3/8"	12.2	12.8	17.5	18.0	100/50/30	Black/Grey
1/2"	15.8	16.3	20.8	21.3	100/50/30	
3/4"	20.7	21.3	26.0	26.7	100/50/30	
1"	26.4	27.0	32.8	33.4	100/50/30	
1 1/4"	34.6	35.8	41.4	42.2	30/15	
1 1/2"	39.8	40.6	47.4	48.3	30/15	
2"	51.3	51.9	59.4	60.3	15/7.5	
2 1/2"	62.9	63.6	72.1	73.2	10/7.5	
3"	76.0	78.7	87.9	89.0	10/7.5	
4"	98.0	102.5	113.3	114.3	10/7.5	

Other length of per coil also available

Liquid Tight Connectors Straight

Die Cast Zinc



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
SLT-038	SLT-038I	3/8"
SLT-050	SLT-050I	1/2"
SLT-075	SLT-075I	3/4"
SLT-100	SLT-100I	1"
SLT-125	SLT-125I	1 1/4"
SLT-150	SLT-150I	1 1/2"
SLT-200	SLT-200I	2"
SLT-250	SLT-250I	2 1/2"
SLT-300	SLT-300I	3"
SLT-400	SLT-400I	4"
SLT-600	SLT-600I	6"

90° Liquid Tight Connectors

Die Cast Zinc



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
ALT-038	ALT-038I	3/8"
ALT-050	ALT-050I	1/2"
ALT-075	ALT-075I	3/4"
ALT-100	ALT-100I	1"
ALT-125	ALT-125I	1 1/4"
ALT-150	ALT-150I	1 1/2"
ALT-200	ALT-200I	2"
ALT-250	ALT-250I	2 1/2"
ALT-300	ALT-300I	3"
ALT-400	ALT-400I	4"

Liquid Tight Connectors Straight

Die Cast Zinc



Cat.No.	Conduit Size
Insulated	
LTB-050	1/2"
LTB-075	3/4"
LTB-100	1"
LTB-125	1 1/4"
LTB-150	1 1/2"
LTB-200	2"

90° Liquid Tight Connectors

Die Cast Zinc



Cat.No.	Conduit Size
Insulated	
LTW-050	1/2"
LTW-075	3/4"
LTW-100	1"
LTW-125	1 1/4"
LTW-150	1 1/2"
LTW-200	2"

Liquid Tight Combination Couplings-Compression Type to EMT Pipe



Cat.No.	Conduit Size
EMTLT-050	1/2"
EMTLT-075	3/4"
EMTLT-100	1"

Liquid Tight Combination Couplings-Compression Type to Rigid Pipe



Cat.No.	Conduit Size
RGDLT-038	3/8"
RGDLT-050	1/2"
RGDLT-075	3/4"
RGDLT-100	1"

Liquid Tight Connectors Straight

Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
SLT-038M	SLT-038MI	3/8"
SLT-050M	SLT-050MI	1/2"
SLT-075M	SLT-075MI	3/4"
SLT-100M	SLT-100MI	1"
SLT-125M	SLT-125MI	1 1/4"
SLT-150M	SLT-150MI	1 1/2"
SLT-200M	SLT-200MI	2"

45° Liquid Tight Connectors

Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
ALT-03845	ALT-03845I	3/8"
ALT-05045	ALT-05045I	1/2"
ALT-07545	ALT-07545I	3/4"
ALT-10045	ALT-10045I	1"
ALT-12545	ALT-12545I	1 1/4"
ALT-15045	ALT-15045I	1 1/2"
ALT-20045	ALT-20045I	2"

90° Liquid Tight Connectors

Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
ALT-03890	ALT-03890I	3/8"
ALT-05090	ALT-05090I	1/2"
ALT-07590	ALT-07590I	3/4"
ALT-10090	ALT-10090I	1"
ALT-12590	ALT-12590I	1 1/4"
ALT-15090	ALT-15090I	1 1/2"
ALT-20090	ALT-20090I	2"

Liquid Tight Connectors Straight

Galvanized Steel



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
SLT-038S	SLT-038SI	3/8"
SLT-050S	SLT-050SI	1/2"
SLT-075S	SLT-075SI	3/4"
SLT-100S	SLT-100SI	1"
SLT-125S	SLT-125SI	1 1/4"
SLT-150S	SLT-150SI	1 1/2"
SLT-200S	SLT-200SI	2"

Grounding Liquid Tight Connectors Straight

Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
GSLT-038	GSLT-038I	3/8"
GSLT-050	GSLT-050I	1/2"
GSLT-075	GSLT-075I	3/4"
GSLT-100	GSLT-100I	1"
GSLT-125	GSLT-125I	1 1/4"
GSLT-150	GSLT-150I	1 1/2"
GSLT-200	GSLT-200I	2"

45° Grounding Liquid Tight Connectors

Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
GALT-03845	GALT-03845I	3/8"
GALT-05045	GALT-05045I	1/2"
GALT-07545	GALT-07545I	3/4"
GALT-10045	GALT-10045I	1"
GALT-12545	GALT-12545I	1 1/4"
GALT-15045	GALT-15045I	1 1/2"
GALT-20045	GALT-20045I	2"

90° Grounding Liquid Tight Connectors

Malleable Iron



Cat.No.	Cat.No.	Conduit Size
Non-insulated	Insulated	
GALT-03890	GALT-03890I	3/8"
GALT-05090	GALT-05090I	1/2"
GALT-07590	GALT-07590I	3/4"
GALT-10090	GALT-10090I	1"
GALT-12590	GALT-12590I	1 1/4"
GALT-15090	GALT-15090I	1 1/2"
GALT-20090	GALT-20090I	2"

Liquid Tight Connectors Male

SS304



Cat.No.	Conduit Size
Insulated	
SLT-050SS	1/2"
SLT-075SS	3/4"
SLT-100SS	1"
SLT-125SS	1 1/4"
SLT-150SS	1 1/2"
SLT-200SS	2"

PVC Coated Flexible Conduit, Gray Color To South American Market



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
3/8"	12	16.5	100/50/30
1/2"	16	21	100/50/30
3/4"	20	25	100/50/30
1"	26	32	100/50/30
1 1/4"	35	41	50/25/15
1 1/2"	40	47	50/25/15
2"	51	58	30/15/7.5
2 1/2"	64	72	15/7.5
3"	77	86	15/7.5
4"	101	113	15/7.5

Other length of per coil also available

Flexible Steel Conduit PVC Coated Flexible Conduit To Southeast Asian Market



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
3/8"	12	16	100/50/30
1/2"	16	19	100/50/30
3/4"	20	24	100/50/30
1"	25	30	100/50/30
1 1/4"	32	38	50/25/20
1 1/2"	38	45	50/25/15
2"	51	58	50/15/10
2 1/2"	63	70	20/15/10
3"	75	84	20/15/10
4"	100	112	20/15/10
5"	125	137	5
6"	150	162	5

Other length of per coil also available

PVC Coated Flexible Conduit -Low Smoke and Halogen Free Black Color



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
3/8"	12	17	50
1/2"	16	21	30
3/4"	20	26	30
1"	25	32	30
1 1/4"	32	40	15
1 1/2"	38	47	15
2"	51	61	15
2 1/2"	63	72	10
3"	75	88	10
4"	100	114	10

Other length of per coil also available

DPJ Connector, Flex Conduit to Box



Cat.No.	Conduit Size
DPJ-014	1/4"
DPJ-038	3/8"
DPJ-050	1/2"
DPJ-075	3/4"
DPJ-100	1"
DPJ-125	1 1/4"
DPJ-150	1 1/2"
DPJ-200	2"
DPJ-250	2 1/2"
DPJ-300	3"
DPJ-400	4"
DPJ-500	5"
DPJ-600	6"

G thread, other thread NPT, Metric, PG also available

DKJ Connector, Flex Conduit to Steel Pipe



Cat.No.	Conduit Size
DKJ-038	3/8"
DKJ-050	1/2"
DKJ-075	3/4"
DKJ-100	1"
DKJ-125	1 1/4"
DKJ-150	1 1/2"
DKJ-200	2"
DKJ-250	2 1/2"
DKJ-300	3"
DKJ-400	4"
DKJ-500	5"
DKJ-600	6"

Connector, Flex Conduit to Box-45°/90°



Cat.No.	Cat.No.	Conduit Size
45°	90°	
DNJ-038	DWJ-038	3/8"
DNJ-050	DWJ-050	1/2"
DNJ-075	DWJ-075	3/4"
DNJ-100	DWJ-100	1"
DNJ-125	DWJ-125	1 1/4"
DNJ-150	DWJ-150	1 1/2"
DNJ-200	DWJ-200	2"
DNJ-250	DWJ-250	2 1/2"
DNJ-300	DWJ-300	3"
DNJ-400	DWJ-400	4"

DPN Connector, Flex Conduit to Threaded Conduit



Cat.No.	Conduit Size
DPN-014	1/4"
DPN-038	3/8"
DPN-050	1/2"
DPN-075	3/4"
DPN-100	1"
DPN-125	1 1/4"
DPN-150	1 1/2"
DPN-200	2"
DPN-250	2 1/2"
DPN-300	3"
DPN-400	4"
DPN-500	5"
DPN-600	6"

G thread, other thread NPT, Metric, PG also available

DGJ Connector, Flex Conduit to Flex Conduit



Cat.No.	Conduit Size
DGJ-038	3/8"
DGJ-050	1/2"
DGJ-075	3/4"
DGJ-100	1"
DGJ-125	1 1/4"
DGJ-150	1 1/2"
DGJ-200	2"
DGJ-250	2 1/2"
DGJ-300	3"
DGJ-400	4"
DGJ-500	5"
DGJ-600	6"

Metal Ferrule & Screw Type Ferrule



Cat.No.	Conduit Size
MF-014	1/4"
MF-038	3/8"
MF-050	1/2"
MF-075	3/4"
MF-100	1"
MF-125	1 1/4"
MF-150	1 1/2"
MF-200	2"
MF-250	2 1/2"
MF-300	3"
MF-400	4"
MF-500	5"
MF-600	6"

MF-

LXYQ-

Non Metallic Liquid Tight Conduit



Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
1/2"	16	21	30
3/4"	20	26	30
1"	26	32	30
1 1/4"	35	41	15
1 1/2"	40	48	15
2"	51	60	15

NM Liquid Tight Connector Straight

6/6 Nylon



Cat.No.	Conduit Size
SLT-038N	3/8"
SLT-050N	1/2"
SLT-075N	3/4"
SLT-100N	1"
SLT-125N	1 1/4"
SLT-150N	1 1/2"
SLT-200N	2"

90° NM Liquid Tight Connector

6/6 Nylon



Cat.No.	Conduit Size
ALT-038N	3/8"
ALT-050N	1/2"
ALT-075N	3/4"
ALT-100N	1"
ALT-125N	1 1/4"
ALT-150N	1 1/2"
ALT-200N	2"

AC Electrical Whip Kits, Plastic Ends




Cat.No.	Conduit Size
NMW-504	1/2"x 4'
NMW-506	1/2"x 6'
NMW-754	3/4"x 4'
NMW-756	3/4"x 6'

AC Electrical Whip Kits, Metal Ends



Cat.No.	Conduit Size
MW-504	1/2"x 4'
MW-506	1/2"x 6'
MW-754	3/4"x 4'
MW-756	3/4"x 6'


MC Cable



Cat.No.	Conductor Color
MC-14/2	BLK-WT
MC-14/3	BLK-WT-RED
MC-14/4	BLK-WT-RED-BLU
MC-12/2	BLK-WT
MC-12/3	BLK-WT-RED
MC-12/4	BLK-WT-RED-BLU
MC-10/2	BLK-WT
MC-10/3	BLK-WT-RED
MC-10/4	BLK-WT-RED-BLU

*Grounding-Green

8" Length Grounding Pigtail



Cat.No.	Wire AWG
Solid wire	
PT12SOGN	#12
PT14SOGN	#14
Stranded wire	
PT12STGN	#12
PT14SOGN	#14

*6/6.5/7/7.5 inch length is available.

Corrugated Flexible Conduit



Trade Size	Inner Dia.xOuter (mm)	Curved Radius (mm)	Flame Retardant FPA6	PA6	PE	PP
AD10.0(1/4")	6.5x10.0	13	FPA-AD10.0	PA-AD10.0	PE-AD10.0	PP-AD10.0
AD11.6	8.0x11.6	16	FPA-AD11.6	PA-AD11.6	PE-AD11.6	PP-AD11.6
AD13.0(5/16")	10.0x13.0	20	FPA-AD13.0	PA-AD13.0	PE-AD13.0	PP-AD13.0
AD15.8(3/8")	12.0x15.8	35	FPA-AD15.8	PA-AD15.8	PE-AD15.8	PP-AD15.8
AD18.5	14.3x18.5	40	FPA-AD18.5	PA-AD18.5	PE-AD18.5	PP-AD18.5
AD21.2(1/2")	17.0x21.2	45	FPA-AD21.2	PA-AD21.2	PE-AD21.2	PP-AD21.2
AD25.0	21.0x25.0	50	FPA-AD25.0	PA-AD25.0	PE-AD25.0	PP-AD25.0
AD28.5(3/4")	23.0x28.5	55	FPA-AD28.5	PA-AD28.5	PE-AD28.5	PP-AD28.5
AD34.5(1")	29.0x34.5	65	FPA-AD34.5	PA-AD34.5	PE-AD34.5	PP-AD34.5
AD42.5(1-1/4")	36.0x42.5	90	FPA-AD42.5	PA-AD42.5	PE-AD42.5	PP-AD42.5
AD54.5	48.0x54.5	100	FPA-AD54.5	PA-AD54.5	PE-AD54.5	PP-AD54.5



Straight Quick Connector

Materials:Nylon

Thread: Metric / PG / G Thread

Protection Classification: IP66

Size: Fit to AD10.0 to AD54.5 Flex Pipes



Bend Angle Quick Connector

Materials:Nylon

Thread: Metric / PG / G Thread

Protection Classification: IP66

Size: Fit to AD10.0 to AD54.5 Flex Pipes



Mounting Clip

Materials:Nylon

Protection Classification: IP66

Size: Fit to AD10.0 to AD54.5 Flex Pipes



Mounting Clip with Lid

Materials:Nylon

Protection Classification: IP66

Size: Fit to AD10.0 to AD54.5 Flex Pipes



Butt Joint Connector

Materials:TPR Rubber

Protection Classification: IP66

Size: Fit to AD10.0 to AD54.5 Flex Pipes



3-Way T-Shaped Pipe Joint

Materials:TPR Rubber

Protection Classification: IP66

Size: Fit to AD10.0 to AD54.5 Flex Pipes



GAMMA ELEMEC
By GAMMA USA Technologies

ELECTRICAL CONDUIT



Strut Channels

41x41 Solid/Slotted Unistrut Channel

- PL: Plain
- PG: Pre-galvanized
- EG: Electro-galvanized
- HDG: Hot dip galvanized
- SS: Stainless Steel


Dim.		Thickness	
in	mm	gauge	mm
1 5/8" X 1 5/8"	41 X 41	12	2.5
1 5/8" X 1 5/8"	41 X 41	13	2.3
1 5/8" X 1 5/8"	41 X 41	14	2.0
1 5/8" X 1 5/8"	41 X 41	15	1.8
1 5/8" X 1 5/8"	41 X 41	16	1.5
1 5/8" X 1 5/8"	41 X 41	17	1.3
1 5/8" X 1 5/8"	41 X 41	18	1.2

Dim.		Thickness	
in	mm	gauge	mm
1 5/8" X 1 3/16"	41 X 21	12	2.5
1 5/8" X 1 3/16"	41 X 21	13	2.3
1 5/8" X 1 3/16"	41 X 21	14	2.0
1 5/8" X 1 3/16"	41 X 21	15	1.8
1 5/8" X 1 3/16"	41 X 21	16	1.5
1 5/8" X 1 3/16"	41 X 21	17	1.3
1 5/8" X 1 3/16"	41 X 21	18	1.2

Standard lengths 10ft. / 3.0meter
Other length,thickness available.


Cantilever Arm

- EG / HDG / SS304 / SS316





Channel End Cap

- Plastic



Cat.No.	Channel Size
EC-1	41x21
EC-2	41x41



Slot Size for choice :

14.3x28.6mm
12x40mm
12x28mm
14x30mm
11x35mm

* other size also available



Cat.No.	"A" (mm)	Channel Size (mm)
CA-412120-150S	150	41x21x2.0
CA-412120-200S	200	41x21x2.0
CA-412120-300S	300	41x21x2.0
CA-412120-450S	450	41x21x2.0

Cat.No.	"A" (mm)	Channel Size (mm)
CA-414120-150S	150	41x41x2.0
CA-414120-300S	300	41x41x2.0
CA-414120-450S	450	41x41x2.0
CA-414120-600S	600	41x41x2.0

Cat.No.	"A" (mm)	Channel Size (mm)
CA-414125-150S	150	41x41x2.5
CA-414125-300S	300	41x41x2.5
CA-414125-450S	450	41x41x2.5
CA-414125-600S	600	41x41x2.5
CA-414125-700S	700	41x41x2.5

Other length also available.

Fasteners

All Thread Rods

UNC Thread

- Plain
- Zinc Plated
- Hot Dip Galvanized
- Stainless Steel



Standard lengths 10ft./3.0meter
Other length also available.

Cat.No.	Thread Size
TR-14	1/4"-20
TR-516	5/16"-18
TR-38	3/8"-16
TR-12	1/2"-13
TR-58	5/8"-11
TR-34	3/4"-10
TR-78	7/8"-9
TR-1	1"-8

Drop in Anchor

UNC Thread

- Zinc / Yellow Plated



Cat.No.	Thread Size	Drill Diameter	Length (In)	Weight kgs/kpcs
DIA-14	1/4"-20	3/8"	1"	9.6
DIA-516	5/16"-18	3/8"	1-1/4"	9.8
DIA-38	3/8"-16	1/2"	1-9/16"	25
DIA-12	1/2"-13	5/8"	2"	50
DIA-58	5/8"-11	7/8"	2-1/2"	135
DIA-34	3/4"-10	1"	3-3/18"	196

U Bolts

- Zinc Plated



Size	Bolts		Pipe Size mm
	A type	B type	
1/2"	1/4"	3/8"	21.34
3/4"	1/4"	3/8"	26.67
1"	1/4"	3/8"	33.40
1 1/4"	1/4"	3/8"	42.16
1 1/2"	1/4"	3/8"	48.26
2"	1/4"	3/8"	60.33
2 1/2"	3/8"	1/2"	73.03
3"	3/8"	1/2"	88.90
3 1/2"	3/8"	1/2"	101.6
4"	3/8"	1/2"	114.3
5"	3/8"	1/2"	141.3
6"	3/8"	1/2"	168.3
8"	3/8"	1/2"	219.1

Channel Nuts

UNC Thread

- Zinc Plated
- Hot Dip Galvanized
- Stainless Steel



Long Spring

Thread Size	Nut Specification		Thickness mm
	Length mm	Width mm	
1/4"-20	34.5	19	6.0
5/16"-18	34.5	19	6.0/8.0
3/8"-16	34.5	19	8.0/9.2
7/16"-14	34.5	19	8.0/9.2
1/2"-13	34.5	19	9.2/11.8
5/8"-11	34.5	30	11.0
3/4"-10	34.5	30	11.0
7/8"-9	34.5	30	11.0

Rod Coupler

UNC Thread

- Zinc Plated



Cat.No.	Thread Size	Across Flat	Length (In)	Weight kgs/kpcs
RC-14	1/4"-20	3/8"	7/8"	9
RC-516	5/16"-18	1/2"	1-1/8"	21
RC-38	3/8"-16	9/16"	1-1/8"	19
RC-12	1/2"-13	1 1/16"	1-3/4"	52
RC-58	5/8"-11	1 3/16"	2-1/8"	82
RC-34	3/4"-10	1"	2-1/4"	136

Vertical Rod Hanger for Wood

- Zinc Plated



Size	Rod Size (In)	Screw (In)	Screw Length (In)
VRW-38	3/8"-16	1/4"-20	2"

Vertical and Horizontal Rod Hanger for Steel

- Zinc Plated



Size	Rod Size (In)	Screw (In)	Screw Length (In)
VHRS-38	3/8"-16	1/4"-20	1-1/2"

Strut Channel Accessories

Standard Clevis Hanger

- Zinc Plated



Cat.No.	Conduit Size	Rod Size
HDCH-050	1/2"	1/4"
HDCH-075	3/4"	1/4"
HDCH-100	1"	1/4"
HDCH-125	1 1/4"	1/4"
HDCH-150	1 1/2"	1/4"
HDCH-200	2"	1/4"
HDCH-250	2 1/2"	3/8"
HDCH-300	3"	3/8"
HDCH-350	3 1/2"	3/8"
HDCH-400	4"	3/8"
HDCH-500	5"	1/2"
HDCH-600	6"	1/2"
HDCH-800	8"	3/4"
HDCH-1000	10"	3/4"
HDCH-1200	12"	3/4"



Swivel Band Hanger

- Pre-Galvanized
- Zinc Plated
- Copper Plated



Cat.No.	Conduit Size	Rod Size	O.D. mm
S-050	1/2"	3/8"	21.34
S-075	3/4"	3/8"	26.67
S-100	1"	3/8"	33.40
S-125	1 1/4"	3/8"	42.16
S-150	1 1/2"	3/8"	48.26
S-200	2"	3/8"	60.33
S-250	2 1/2"	3/8"	73.03
S-300	3"	3/8"	88.90
S-350	3 1/2"	3/8"	101.6
S-400	4"	3/8"	114.3
S-500	5"	1/2"	141.3
S-600	6"	1/2"	168.3
S-800	8"	1/2"	219.1

Riser Clamps

- Zinc Plated
- Copper Plated



Cat.No.	Conduit Size	Cat.No.	Conduit Size
RC-050	1/2"	RC-500	5"
RC-075	3/4"	RC-600	6"
RC-100	1"	RC-800	8"
RC-125	1 1/4"	RC-1000	10"
RC-150	1 1/2"	RC-1200	12"
RC-200	2"	RC-1400	14"
RC-250	2 1/2"	RC-1600	16"
RC-300	3"	RC-1800	18"
RC-350	3 1/2"	RC-2000	20"
RC-400	4"		

Universal Strut Clamps, Pre-assembled For EMT, IMC, RGD, or O.D. Tube.

- Zinc Plated



Cat.No.	Conduit Size	O.D. mm
SC-050U	1/2"	17.93-21.34
SC-075U	3/4"	23.42-26.67
SC-100U	1"	29.54-33.40
SC-125U	1 1/4"	38.35-42.16
SC-150U	1 1/2"	44.20-48.26
SC-200U	2"	55.80-60.33

Cushion Clamp

- Yellow Zinc Plated
- With TPR Sleeve



Cat.No.	Tube O.D.
SC-14	1/4"
SC-38	3/8"
SC-12	1/2"
SC-58	3/8"
SC-34	1/4"
SC-78	3/8"
SC-118	1 1/8"
SC-138	1 3/8"
SC-158	1 5/8"
SC-218	2 1/8"
SC-258	2 5/8"
SC-318	3 1/8"
SC-418	4 1/8"

Beam Clamps for Mounting Channel

- Zinc Plated
- Hot Dip Galvanized



Cat.No.	Size
MCBC-1	3-3/8"
MCBC-2	5"

Strut Channel Accessories

Universal Strut Clamp with Welded Studs

- Zinc Plated



Cat.No.	Conduit Size
USC-50	1/2"
USC-75	3/4"
USC-100	1"
USC-125	1 1/4"
USC-150	1 1/2"
USC-200	2"
USC-250	2 1/2"
USC-300	3"
USC-350	3 1/2"
USC-400	4"

Universal One Piece Strut Clamp

- Pre-galvanized



Cat.No.	Conduit Size
SSC-50.	1/2"
SSC-75.	3/4"
SSC-100.	1"
SSC-125.	1 1/4"
SSC-150.	1 1/2"
SSC-200.	2"
SSC-250.	2 1/2"
SSC-300.	3"
SSC-350.	3 1/2"
SSC-400.	4"

Rigid Strap Single Hole Clamp, Malleable Iron

- Zinc Plated



Cat.No.	Conduit Size
MST-038	3/8"
MST-050	1/2"
MST-075	3/4"
MST-100	1"
MST-125	1 1/4"
MST-150	1 1/2"
MST-200	2"
MST-250	2 1/2"
MST-300	3"
MST-350	3 1/2"
MST-400	4"


Rigid Clamp Backs, Malleable Iron

- Zinc Plated



Cat.No.	Conduit Size
MCB-050	1/2"
MCB-075	3/4"
MCB-100	1"
MCB-125	1 1/4"
MCB-150	1 1/2"
MCB-200	2"
MCB-250	2 1/2"
MCB-300	3"
MCB-350	3 1/2"
MCB-400	4"

Pipe Clamp with EPDM or without



Trade Size	D (mm)	bxs (mm)	M (mm)	G
3/8"	15-19	20x1.5	M6x20	M8+M10 3/8-16
1/2"	20-25	20x1.5	M6x20	M8+M10 3/8-16
3/4"	26-30	20x1.5	M6x20	M8+M10 3/8-16
1"	32-36	20x1.5	M6x20	M8+M10 3/8-16
1 1/4"	38-43	20x1.5	M6x20	M8+M10 3/8-16
1 1/2"	47-51	20x1.5	M6x20	M8+M10 3/8-16
2"	60-64	20x1.5	M6x20	M8+M10 3/8-16
2 1/2"	75-80	20x1.5	M6x20	M8+M10 3/8-16
3"	87-92	20x1.5	M6x20	M8+M10 3/8-16
3 1/2"	99-105	20x1.5	M6x20	M8+M10 3/8-16
4"	113-118	20x1.5	M6x20	M8+M10 3/8-16
5"	138-142	20x1.5	M6x20	M8+M10 3/8-16
6"	159-166	20x1.5	M6x20	M8+M10 3/8-16
8"	200-212	20x1.5	M6x20	M8+M10 3/8-16

Strut Channel Accessories

Top Beam Clamps Malleable Iron

- Standard finish— Plain or Galvanized



Cat.No.	Rod Size	Open Size
375-38	3/8"	3/4"
375-12	1/2"	3/4"

Beam Clamps Malleable Iron

- Standard finish— Galvanized



Cat.No.	Rod Size	Open Size (mm)
TBC-M06	M6	18.5
TBC-M08	M8	18.5
TBC-M10	M10	20.0
TBC-M12	M12	30.0
TBC-M14	M14	35.0
TBC-M16	M16	35.0

Top Beam Clamps Malleable Iron

- Standard finish— Plain or Galvanized



Cat.No.	Rod Size	Open Size
BC-3414	1/4"	3/4"
BC-3438	3/8"	3/4"
BC-3412	1/2"	3/4"
BC-11438	3/8"	1-1/4"
BC-11412	1/2"	1-1/4"

Universal Beam Clamps Malleable Iron


- Standard finish— Plain or Galvanized



Cat.No.	Rod Size	Open Size
103-38	3/8"	3/4"
103-12	1/2"	3/4"
833-38	3/8"	1-1/8"
833-12	1/2"	1-1/8"

Steel Beam Clamps

- Standard finish— Galvanized



Cat.No.	Rods Size	Open Size
BC-014	1/4"	3/4"
BC-038	3/8"	1-1/4"

Wide Mouth Beam Clamps Malleable Iron

- Standard finish— Plain or Galvanized



Cat.No.	Rods Size	Open Size
400-38	3/8"	1-1/4"
400-12	1/2"	1-1/4"

Reversible Steel C type Beam Clamps

- Standard finish— Plain or Galvanized



Cat.No.	Rods Size	Open Size
TMBC-38	3/8"	1-1/2"
TMBC-12	1/2"	1-1/2"

Spring Steel Beam Clamps

- Black Enamel



Cat.No.	Screw	Flange
SSBC-14	1/4" - 1 1/4"	1/8" - 1/2"

Strut Channel Accessories

Swing Hanger-Steel

- Yellow Zinc Plated



Cat.No.	Size
SHBC-38	3/8"
SHBC-50	1/2"
SHBC-M10	M10
SHBC-M12	M12

G Clamp

- Zinc Plated



Cat.No.	Bolts	Thickness
CBC-1	M8x20	2.5mm
CBC-2	M8x20	3.0mm
CBC-3	M8x25	3.0mm

Steel Beam Clamp

- Yellow Zinc Plated



Cat.No.	Hole Size	Open Size	Bolt
BCY-38	3/8"	1-1/4"	3/8"x1-1/2"
BCY-12	1/2"	1-3/4"	1/2"x1-1/2"

Insulator Support Beam Clamp-Malleable Iron


- Zinc Plated



Cat.No.	Hole Size	Open Size	Bolt
IBC-14	1/4"	3/4"	5/16"
IBC-38	3/8"	7/8"	3/8"
IBC-12	1/2"	1-1/4"	3/8"

Din Rail

- Yellow Zinc Plated




Plain		Slotted	
Cat No.	Length	Cat No.	Length
KG-3510	1.0m	KG-3510S	1.0m
KG-3520	2.0m	KG-3520S	2.0m

* Available in full and perforated versions, in various lengths.

Perforated Banding

- Pre-galvanized



Rounded Gal. Perforated Banding

Cat. No.	AXB (mm)	D (mm)	C (mm)	Lth's/Roll
RPB-120810	12x0.8	5.0	14	10M
RPB-170810	17x0.8	7.0	20	10M
RPB-261010	26x1.0	8.0	25	10M

Straight Gal. Perforated Banding

Cat. No.	AXB (mm)	D (mm)	C (mm)	Lth's/Roll
SPB-120810	12x0.8	5.0	8	10M
SPB-170810	17x0.8	7.0	12	10M
SPB-200810	20x0.8	8.0	12	10M
SPB-261010	26x1.0	8.0	12	10M





Conduit Bender with Handle Aluminum

Item No.	Conduit Size
	EMT
ACB-050H	1/2"
ACB-075H	3/4"
ACB-100H	1"

*Handle can be ordered separately




Conduit Bender without Handle Aluminum

Item No.	Conduit Size
	EMT
ACB-050	1/2"
ACB-075	3/4"
ACB-100	1"

Conduit Bender Ductile Iron



Item No.	Conduit Size
	EMT
SCB-050	1/2"
SCB-075	3/4"
SCB-100	1"
SCB-125	1 1/4"



Natural Color / Zinc Plated

Metal Cable Puller with Riveted Terminals A type (Eyelet+Eyelet)

Item No.	Specification Width(mm) x Thickness(mm)	Length(m)
MCP-3205A/MCP-5005A	3.2 x 0.5/5.0x0.5	5
MCP-3210A/MCP-5010A	3.2 x 0.5/5.0x0.5	10
MCP-3215A/MCP-5015A	3.2 x 0.5/5.0x0.5	15
MCP-3220A/MCP-5020A	3.2 x 0.5/5.0x0.5	20
MCP-3225A/MCP-5025A	3.2 x 0.5/5.0x0.5	25
MCP-3230A/MCP-5030A	3.2 x 0.5/5.0x0.5	30



Natural Color / Zinc Plated

Metal Cable Puller with Riveted Terminals B type (Eyelet + Flex Metallic starting Spinner with Ball)

Item No.	Specification Width(mm) x Thickness(mm)	Length(m)
MCP-3205B/MCP-5005B	3.2 x 0.5/5.0x0.5	5
MCP-3210B/MCP-5010B	3.2 x 0.5/5.0x0.5	10
MCP-3215B/MCP-5015B	3.2 x 0.5/5.0x0.5	15
MCP-3220B/MCP-5020B	3.2 x 0.5/5.0x0.5	20
MCP-3225B/MCP-5025B	3.2 x 0.5/5.0x0.5	25
MCP-3230B/MCP-5030B	3.2 x 0.5/5.0x0.5	30



Natural Color / Zinc Plated

Metal Cable Puller with Riveted Terminals C type (Eyelet + Roller)

Item No.	Specification Width(mm) x Thickness(mm)	Length(m)
MCP-3205C/MCP-5005C	3.2 x 0.5/5.0x0.5	5
MCP-3210C/MCP-5010C	3.2 x 0.5/5.0x0.5	10
MCP-3215C/MCP-5015C	3.2 x 0.5/5.0x0.5	15
MCP-3220C/MCP-5020C	3.2 x 0.5/5.0x0.5	20
MCP-3225C/MCP-5025C	3.2 x 0.5/5.0x0.5	25
MCP-3230C/MCP-5030C	3.2 x 0.5/5.0x0.5	30

Steel Spiral Cable Puller

Small Roll with Brass Fixed Terminals (Spinner + Eyelet)



Natural Color / Zinc Plated

Item No.	Solid Diameter(mm)	Length(m)
SSCP-3005	Φ 3.2	5
SSCP-3010	Φ 3.2	10
SSCP-3015	Φ 3.2	15
SSCP-3020	Φ 3.2	20
SSCP-3025	Φ 3.2	25
SSCP-3030	Φ 3.2	30

Nylon Cable Puller, Small Roll with Brass Fixed Terminals

(Flex starting Spinner with Ball and Eyelet on the back side of Fish Tape)



Item No.	Solid Diameter(mm)	Length(m)
NCP-3005/NCP-4005	Φ 3 / Φ 4	5
NCP-3010/NCP-4010	Φ 3 / Φ 4	10
NCP-3015/NCP-4015	Φ 3 / Φ 4	15
NCP-3020/NCP-4020	Φ 3 / Φ 4	20
NCP-3025/NCP-4025	Φ 3 / Φ 4	25
NCP-3030/NCP-4030	Φ 3 / Φ 4	30

Nylon Cable Puller, Small Roll with Brass Interchangeable Terminals

(Flex starting Spinner with Eyelet and Eyelet on the back side of Fish Tape)



Item No.	Solid Diameter(mm)	Length(m)
NCP-4005D	Φ 4	5
NCP-4010D	Φ 4	10
NCP-4015D	Φ 4	15
NCP-4020D	Φ 4	20
NCP-4025D	Φ 4	25
NCP-4030D	Φ 4	30

Nylon Cable Puller with Brass Fixed Terminals

(Eyelet+Eyelet)



Item No.	Solid Diameter(mm)	Length(m)
NCP-4505	Φ 4.5	5
NCP-4510	Φ 4.5	10
NCP-4515	Φ 4.5	15
NCP-4520	Φ 4.5	20
NCP-4525	Φ 4.5	25
NCP-4530	Φ 4.5	30

Fiberglass Filling Cable Puller with Brass Fixed Terminals

(Flex starting Spinner with Ball and Eyelet on the back side of Fish Tape)



Item No.	Solid Diameter(mm)	Length(m)
FCP-3005	Φ 3.0	5
FCP-3010	Φ 3.0	10
FCP-3015	Φ 3.0	15
FCP-3020	Φ 3.0	20
FCP-3025	Φ 3.0	25
FCP-3030	Φ 3.0	30

Fiberglass Filling Cable Puller with Steel Fixed Terminals

(Eyelet+Eyelet)



Item No.	Solid Diameter(mm)	Length(m)
FCP-4005	Φ 4.0	5
FCP-4010	Φ 4.0	10
FCP-4015	Φ 4.0	15
FCP-4020	Φ 4.0	20
FCP-4025	Φ 4.0	25
FCP-4030	Φ 4.0	30

More Rod Filling Cable Puller, Small Roll with Nickel Plated Brass Terminals

(Interchangeable Flex starting Spinner with Ball and Fixed Eyelet on the back side of Fish Tape)



Item No.	Solid Diameter(mm)	Length(m)
MRCP-4005	Φ 4.0	5
MRCP-4010	Φ 4.0	10
MRCP-4015	Φ 4.0	15
MRCP-4020	Φ 4.0	20
MRCP-4025	Φ 4.0	25
MRCP-4030	Φ 4.0	30

Single Rod Filling Cable Puller with Nickel Plated Brass Terminals

(Interchangeable Flex starting Spinner with Ball and Fixed Eyelet on the back side of Fish Tape)



Item No.	Solid Diameter(mm)	Length(m)
SRCP-4005	Φ 4.0	5
SRCP-4010	Φ 4.0	10
SRCP-4015	Φ 4.0	15
SRCP-4020	Φ 4.0	20
SRCP-4025	Φ 4.0	25
SRCP-4030	Φ 4.0	30

Twine Polyester Cable Puller with Galvanized Steel Terminals

(Flex starting Spinner with Eyelet and Eyelet on the back side of Fish Tape)



Item No.	Solid Diameter(mm)	Length(m)
PCP-6010	Φ 6.0	10
PCP-6015	Φ 6.0	15
PCP-6020	Φ 6.0	20
PCP-6025	Φ 6.0	25
PCP-6030	Φ 6.0	30
PCP-6050	Φ 6.0	50

High Strength Steel Fish Wire Tape (Small Roll)

Item No.	Specification Width(mm) x Thickness(mm)	Length(m)
NFWT-10S	3.0 x 1.3	10
NFWT-15S	3.0 x 1.3	15
NFWT-20S	3.0 x 1.3	20
NFWT-25S	3.0 x 1.3	25
NFWT-30S	3.0 x 1.3	30

High Strength Steel Fish Wire Tape (Big Roll)

Item No.	Specification Width(mm) x Thickness(mm)	Length(m)
FWT-30	3.0 x 1.3	30
FWT-40	3.0 x 1.3	40
FWT-45	3.0 x 1.3	45
FWT-50	3.0 x 1.3	50
FWT-60	3.0 x 1.3	60
FWT-75	3.0 x 1.3	75
FWT-100	3.0 x 1.3	100

High Strength Steel Fish Wire Tape (Big Roll)

Item No.	Specification Width(mm) x Thickness(mm)	Length(m)
NFWT-30	3.0 x 1.3	30
NFWT-40	3.0 x 1.3	40
NFWT-45	3.0 x 1.3	45
NFWT-50	3.0 x 1.3	50
NFWT-60	3.0 x 1.3	60
NFWT-75	3.0 x 1.3	75
NFWT-100	3.0 x 1.3	100

Note: Customized length and wire size/material are available

Duct Rodder (Portable/Rubber Wheel)

Item No.	Fiberglass/Type O.D.	Length (m)
D06L50/D06L100/D06L150	6.0mm/portable	50
D08L50/D08L100/D08L150	8.0mm/portable	50
D12L100/D12L200/D12L300	12.0mm/rubber wheel	100
D14L100/D14L200/D14L300	14.0mm/rubber wheel	100

Material: Fiberglass Wire + Steel Alloy – Portable
Fiberglass Wire + Steel Alloy + Rubber – Rubber Wheel

Note: Customized length and other colors are available

Internal Bending Spring for Heavy Duty PVC Pipe

Finish: Natural,White Zinc Plated,Color Zinc Plated,Black Coating

Item No.	Size	Length(mm)
IBSH-16550	16	550
IBSH-20550	20	550
IBSH-25550	25	550
IBSH-32550	32	550

Other size or length also available

Internal Bending Spring for Medium/Light PVC Pipe

Finish: Natural,White Zinc Plated,Color Zinc Plated,Black Coating

Item No.	Size	Length(mm)
IBSM/IBSL-16550	16	550
IBSM/IBSL-20550	20	550
IBSM/IBSL-25550	25	550
IBSM/IBSL-32550	32	550

Other size or length also available

External Bending Spring for PVC Pipe

Finish: Natural,White Zinc Plated,Yellow Zinc Plated,Black Coating

Item No.	Size	Length(mm)
EBS-16550	16	550
EBS-20550	20	550
EBS-25550	25	550
EBS-32550	32	550

Other size or length also available

Cable Carrier Stand with Clips

Item No.	Size	Description A set Cable Carrier Standard Includes
CCS-760	760x340x340mm	5 pcs Crocodile Clip

Color can be customized

Cable Glands

Material:
Body: Nickel Plated Brass
Seal: Polymeide 66
Sealing: NBR
IP68



PG Thread

Size	Cable Diameter	Thread Length
PG7	3-7	6
PG9	4-8	7
PG9	6-10	7
PG11	6-10	7
PG13.5	8-12	8
PG13.5	4-8	8
PG13.5	6-10	7
PG13.5	10-14	8
PG16	10-14	8
PG16	8-12	8
PG19	10-14	8
PG21	13-18	8
PG21	10-16	8
PG25	13-18	8
PG29	18-25	9
PG36	25-32	10
PG36	18-25	10
PG42	32-38	10
PG48	37-44	12
PG63	43-52	15

G Thread

Size	Cable Diameter	Thread Length
G-1/4"	3-7	6
G-3/8"	4-8	7
G-3/8"	6-10	7
G-1/2"	8-12	8
G-1/2"	4-8	8
G-1/2"	10-14	8
G-3/4"	13-18	8
G-1"	15-22	9
G-1 1/4"	22-28	10
G-1 1/2"	25-32	10
G-1 1/2"	18-25	10
G-2"	37-44	12
G-2 1/2"	42-52	15
G-3"	65-70	18

NPT Thread

Size	Cable Diameter	Thread Length
1/4"	3-7	6
3/8"	4-8	7
1/2"	8-12	8
3/4"	13-18	8
1"	15-22	9
1 1/4"	22-28	9
1 1/2"	25-32	10
2"	37-44	12
2 1/2"	42-52	15
3"	65-70	18

Metric Thread

Size	Cable Diameter	Thread Length
M8*1.0	3-7	6
M10*1.0	3-7	6
M12*1.5	3-7	6
M14*1.5	3-7	6
M16*1.5	4-8	7
M16*1.5	6-10	7
M18*1.5	6-10	7
M20*1.5	8-12	8
M20*1.5	4-8	7
M20*1.5	6-10	7
M20*1.5	10-14	7
M22*1.5	10-14	8
M22*1.5	8-12	8
M24*1.5	10-14	8
M25*1.5	10-14	8
M25*1.5	9-16	8
M25*1.5	13-18	8
M27*1.5(2)	13-18	8
M27*1.5(2)	10-16	8
M30*1.5(2)	13-18	8
M30*1.5(2)	10-16	8
M30*1.5(2)	15-20	8
M32*1.5(2)	15-22	9
M32*1.5(2)	13-18	8
M32*1.5(2)	18-25	9
M33*1.5(2)	15-22	9
M36*1.5(2)	18-25	9
M36*1.5(2)	15-22	9
M37*1.5(2)	18-25	9
M40*1.5(2)	22-28	10
M40*1.5(2)	18-25	9
M40*1.5(2)	22-30	10
M40*1.5(2)	22-32	10
M42*1.5(2)	22-28	10
M42*1.5(2)	22-30	10
M48*1.5(2)	25-32	10
M50*1.5(2)	25-32	10
M50*1.5(2)	32-38	12
M54*1.5(2)	32-38	12
M56*1.5(2)	32-38	12
M60*1.5(2)	37-44	12
M63*1.5(2)	37-44	12
M63*1.5(2)	42-53	15
M64*1.5(2)	37-44	12
M72*1.5(2)	42-52	15
M75*1.5(2)	42-52	15
M76*1.5(2)	42-52	15
M80*1.5(2)	50-62	16
M85*1.5(2)	50-62	16
M85*1.5(2)	60-70	18
M88*1.5(2)	60-70	18
M90*1.5(2)	60-70	18
M100*1.5(2)	70-80	20

Plastic Cable Glands

Material: Nylon
Color: grey or black
IP67



PG Thread

Size	Cable Diameter	Thread Length
PG7	3-6.5	8/15
PG7	2-5	8/15
PG9	4-8	8/15
PG9	2-6	8/15
PG11	5-10	8/15
PG11	3-7	8/15
PG13.5	6-12	9/15
PG13.5	5-9	9/15
PG16	10-14	10/15
PG16	7-12	10/15
PG19	12-15	10
PG19	10-12	10
PG21	13-18	10/15
PG21	9-16	10/15
PG25	16-21	11
PG25	13-18	11
PG29	18-25	12/18
PG29	13-20	12/18
PG36	22-32	14/18
PG36	20-26	14/18
PG42	32-38	14/18
PG42	25-31	14/18
PG48	37-44	14/18
PG48	29-35	14/18
PG63	42-50	27

Metric Thread

Size	Cable Diameter	Thread Length
M12*1.5	3-6.5	8/15
M12*1.5	2-5	8/15
M16*1.5	4-8	8/15
M16*1.5	2-6	8/15
M18*1.5	5-10	8/15
M18*1.5	3-7	8/15
M20*1.5	6-12	9/15
M20*1.5	5-9	9/15
M20*1.5	10-14	15
M20*1.5	7-12	15
M22*1.5	10-14	10/15
M22*1.5	7-12	10/15
M24*1.5	12-15	10
M24*1.5	10-12	10
M25*1.5	13-18	10/15
M25*1.5	9-16	10/15
M27*1.5	13-18	10
M27*1.5	9-16	10
M30*1.5	16-21	11
M30*1.5	13-18	11
M32*1.5	16-21	11
M32*1.5	13-18	11
M36*1.5	18-25	12
M36*1.5	13-20	12
M40*1.5	22-32	14/18
M40*1.5	20-26	14/18
M50*1.5	32-38	14/18
M50*1.5	25-31	14/18
M63*1.5	37-44	14/18
M63*1.5	29-35	14/18

G Thread / NPT Thread


Size	Cable Diameter	Thread Length
1/4"	3-6.5	8
3/8"	4-8	15
1/2"	6-12	13
3/4"	13-18	15
1"	18-25	16
1 1/4"	18-25	18
1 1/2"	22-32	15
2"	37-44	15

Terminal Blocks

Material: PA, PE or PP

Type: H, U(W), V(F)

Item No	L	W	H	A	B	mm ²	Volt	Amp
TBS-3A	90	15	10.8	6.0	8.0	4	400V	3A
TBS-6A	110	15	12.5	6.5	9.5	6	400V	6A
TBS-10A	117	20	15.0	8.4	10.5	10	400V	10A
TBS-15A	137	22	17.0	10.3	12.0	12	400V	15A
TBS-20A	155	25	19.2	11.5	13.5	14	400V	20A
TBS-30A	166	25	20.0	12.0	14.5	16	400V	30A
TBS-60A	188	29	23.5	13.5	16.5	25	400V	60A
TBS-80A	205	33	27.0	15.0	17.0	35	400V	80A
TBS-100A	250	46	31.0	22.0	21.0	40	400V	100A



Bus Bar Insulator, SM Type

with studs & locking washer or without



Item No	Height	Insert Size	Cross Width	Tensile Strength (N)	Torque Strength (N.m)	Pulse Voltage
SM-20S	20	M5/M6	17mm	500	8	3KV
SM-25S	25	M5/M6	30mm	2000	10	3KV
SM-30S	30	M6/M8	32mm	2000	10	3KV
SM-35S	35	M6/M8	32mm	3000	12	5KV
SM-40S	40	M8/M10	40mm	3000	15	5KV
SM-51S	51	M8/M10	36mm	3000	15	5KV
SM-76S	76	M10	50mm	4000	20	10KV

Self-Locking Nylon Cable Ties

Color: Natural (or White, standard color)

UV Black and other colors are available as requested

Item No.	Length		Width	Bundle Dia.
	inch	mm	mm	mm
SLCT-2.5x80	3 ^{3/16} "	80	2.5	2-16
SLCT-2.5x100	4"	100	2.5	2-22
SLCT-2.5x120	4 ^{7/16} "	120	2.5	2-30
SLCT-2.5x150	6"	150	2.5	2-35
SLCT-2.5x200	8"	200	2.5	2-50
SLCT-3.6x150	6"	150	3.6	3-35
SLCT-3.6x180	7"	180	3.6	3-42
SLCT-3.6x200	8"	200	3.6	3-50
SLCT-3.6x250	10"	250	3.6	3-65
SLCT-3.6x300	11 ^{5/8} "	300	3.6	3-80
SLCT-3.6x370	14 ^{1/2} "	370	3.6	3-102
SLCT-4.8x200	8"	200	4.8	3-50
SLCT-4.8x250	10"	250	4.8	3-65
SLCT-4.8x300	11 ^{5/8} "	300	4.8	3-80
SLCT-4.8x350	13 ^{3/4} "	350	4.8	3-90
SLCT-4.8x370	14 ^{1/2} "	370	4.8	3-102
SLCT-4.8x400	15 ^{3/4} "	400	4.8	3-105
SLCT-4.8x450	17 ^{7/8} "	450	4.8	3-130
SLCT-4.8x500	19 ^{11/16} "	500	4.8	3-150
SLCT-7.2x200	8"	200	7.2	3-50
SLCT-7.2x250	10"	250	7.2	4-65
SLCT-7.5x300	11 ^{5/8} "	300	7.5	4-80
SLCT-7.5x350	13 ^{3/4} "	350	7.5	4-90
SLCT-7.5x370	15 ^{1/2} "	370	7.5	4-100
SLCT-7.5x400	15 ^{3/4} "	400	7.5	4-105
SLCT-7.6x450	17 ^{3/4} "	450	7.6	4-110
SLCT-7.6x500	19 ^{11/16} "	500	7.6	4-150
SLCT-7.6x550	21 ^{1/16} "	550	7.6	4-160
SLCT-7.6x700	27 ^{1/2} "	700	7.6	4-195
SLCT-9.0x400	15 ^{3/4} "	400	9.0	8-105
SLCT-9.0x450	17 ^{3/4} "	450	9.0	8-118
SLCT-9.0x500	19 ^{11/16} "	500	9.0	8-150
SLCT-9.0x550	21 ^{1/16} "	550	9.0	8-160
SLCT-9.0x600	23 ^{3/8} "	600	9.0	8-170
SLCT-9.0x650	25 ^{3/16} "	650	9.0	8-185
SLCT-9.0x720	27 ^{1/2} "	720	9.0	10-195
SLCT-9.0x760	29 ^{3/16} "	760	9.0	10-225
SLCT-9.0x800	31 ^{3/16} "	800	9.0	10-230
SLCT-9.0x920	35 ^{3/16} "	920	9.0	10-265
SLCT-9.0x1000	40 ^{7/16} "	1000	9.0	10-300

